

Accreditation Quality Report









Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH President of the Joint Commission





Summary of Quality Information

| Accreditation Programs | Accreditation Decision | Effective Date | Last Full Survey Date | Last On-Site Survey Date |
|--------------------------|------------------------|-------------------|--------------------------|-----------------------------|
| 🧼 Behavioral Health Care | Accredited | 11/14/2017 | 8/30/2017 | 8/30/2017 |
| 🥝 Home Care | Accredited | 8/31/2017 | 8/30/2017 | 8/30/2017 |
| 🥝 Hospital | Accredited | 11/17/2017 | 9/1/2017 | 8/22/2018 |
| Oursing Care Center | Accredited | 8/31/2017 | 8/30/2017 | 8/30/2017 |

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS) Hospital

| Certified Programs | Certification Decision | Effective Date | Last Full Review Date | Last On-Site Review Date |
|--|------------------------|-------------------|--------------------------|-----------------------------|
| Post-Acute Care - Nursing Care Center | Post-Acute Care | 11/14/2017 | 8/30/2017 | 8/30/2017 |

Other Accredited Programs/Services

• Hospital (Accredited by American College of Surgeons-Commission on Cancer (ACoS-COC))

| | | Compared to other Joint Commission Accredited Organizations | |
|------------------------|---|--|----------------|
| | | Nationwide | Statewide |
| Home Care | 2014National Patient Safety Goals | \bigotimes | * |
| Hospital | 2017National Patient Safety Goals | Ø | * |
| | National Quality Improvement Goals: | | |
| Reporting Period: | Emergency Department | (10) ² | 2 ² |
| Jan 2017 - Dec 2017 | Hospital-Based Inpatient Psychiatric Services | (10) ² | 2 ² |
| | Immunization | (10) ² | 2 ² |
| | Perinatal Care | | @ ² |

The Joint Commission only reports measures endorsed by the National Quality Forum.

Symbol Key

| 0 | This organization achieved the best possible results. |
|----|---|
| • | This organization's performance is above the target range/value. |
| Ø | This organization's performance is similar to the target range/value. |
| Θ | This organization's performance is below the target range/value. |
| •• | This Measure is not applicable for this organization. |
| • | Not displayed |

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
 Test Measure: a measure being
- evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."







Summary of Quality Information

Symbol Key

| 0 | This organization achieved the best possible results. |
|----|---|
| • | This organization's performance is above the target range/value. |
| Ø | This organization's performance is similar to the target range/value. |
| Θ | This organization's performance is below the target range/value. |
| •• | This Measure is not applicable for this organization. |
| • | Not displayed |

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients. 8. The number of months with Measure
- data is below the reporting requirement. 9. The measure results are temporarily suppressed pending resubmission of
- updated data. 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting
- National Quality Forum Endorsement. 11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

| | | | Compared to other Joint Commission Accredited Organizations | |
|-----------------|-----------------------------------|------------|--|--|
| | | Nationwide | Statewide | |
| Nursing Care | 2014National Patient Safety Goals | Ø | ∞ * | |
| Contor | | | | |



The Joint Commission only reports measures endorsed by the National Quality Forum.



Locations of Care

| Locations of Care | Available Services |
|---|---|
| Chase Building 401 Market St. Steubenville, OH 43952 | Services: Outpatient Clinics (Outpatient) |
| Express Clinic Calcutta DBA: An outpatient department of Trinity Health System St. Route 170 Calcutta Square Calcutta OH. Suite B East Liverpool, OH 43920 | Services: • Outpatient Clinics (Outpatient) |
| Express Clinic Toronto DBA: An outpatient department of Trinity Health System 1800 Franklin St. Toronto, OH 43964 | Services: • Outpatient Clinics (Outpatient) |
| Medical Pavilion 4100 Johnson Road 4100 Johnson Road, Suite 102, 207,104, 208 Steubenville, OH 43952 | Services: Outpatient Clinics (Outpatient) |
| Outpatient Physical Therapy DBA: An outpatient department of Trinity Health System 1800 Franklin St. Toronto, OH 43964 | Services: • Outpatient Clinics (Outpatient) |
| Teramana Cancer Center 3204 Johnson Road Steubenville, OH 43952 | Services: • Administration of High Risk Medications (Outpatient) • Outpatient Clinics (Outpatient) • Perform Invasive Procedure (Outpatient) |
| Trinity ExpressCare 148 Main St. Wintersville, OH 43953 | Services: • Urgent Care (Outpatient) |



Locations of Care

* Primary Location

| Locations of Care | Available Services |
|---|--|
| Trinity Medical Center East * 380 Summit Avenue Steubenville, OH 43952 | Joint Commission Certified Programs: Post-Acute Care - Nursing Care Center Services: Addiction Care/Adult/Child/Youth) (Non-detox - Adult) Behavioral Health (Day Programs - Adult) (Non 24 Hour Care - Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult) (Partial - Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult/Child/Youth) (Non 24 Hour Care - Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult/Child/Youth) (Yartial - Adult/Child/Youth) (Non-detox - Adult) Family Support (Non 24 Hour Care) Home Health Aides Home Health, Non-Hospice Services Inpatient Unit (Inpatient) Occupational Therapy |

© Copyright 2024, The Joint Commission





Locations of Care

* Primary Location


| Locations of Care | Available Services | | |
|--|---|--|--|
| Trinity Medical Center West 4000 Johnson Road Steubenville, OH 43952 | Services Brachytherapy (Imaging/Diagnostic Services) Cardiac Catheterization Lab (Surgical Services) Cardiothoracic Surgery (Surgical Services) Ear/Nose/Throat Surgery (Surgical Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) Gastroenterology (Surgical Services) Goastroenterology (Surgical Services) Goastroenterology (Surgical Services) Goastroenterology (Surgical Services) Goastroenterology (Surgical Services) Gynecological Surgery (Surgical Services) Cynecology (Inpatient) Inpatient Unit (Inpatient) Interventional Radiology (Imaging/Diagnostic Services) Labor & Delivery (Inpatient) Interventional Radiology (Imaging/Diagnostic Services) Labor & Delivery (Inpatient) Magnetic Resonance Imaging (Imaging/Diagnostic Services) Medical /Surgical Unit (Inpatient) Medical ICU (Intensive Care Unit) Medical ICU (Intensive Care Unit) Medical ICU (Intensive Care Unit) Medical ICU (Intensive Care Unit) | | |
| Trinity Outpatient Endoscopy Center 1805 Sinclair Avenue Steubenville, OH 43952 | Services: • Administration of High Risk Medications (Outpatient) • Anesthesia (Outpatient) • Outpatient Clinics (Outpatient) • Perform Invasive Procedure (Outpatient) | | |
| Trinity Sports Medicine 3151 Johnson Rd. Suite 2 Steubenville, OH 43952 | Services: • Outpatient Clinics (Outpatient) | | |



Locations of Care

* Primary Location

| Locations of Care | Available Services |
|---|---|
| Trinity WorkCare 380 Summit Ave. Suite G105 Steubenville, OH 43952 | Services: Outpatient Clinics (Outpatient) |





2014 National Patient Safety Goals

Home Care

| Safety Goals | Organizations Should | Implemented |
|--|---|-------------|
| Improve the accuracy of patient identification. | Use of Two Patient Identifiers | Ø |
| Improve the safety of using medications. | Reconciling Medication Information | Ø |
| Reduce the risk of health care-associated infections. | Meeting Hand Hygiene Guidelines | Ø |
| Reduce the risk of patient harm resulting from falls. | Implementing a Fall Reduction Program | Ø |
| The organization identifies safety risks inherent in its patient population. | Identifying Risks Associated with Home Oxygen | Ø |

Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."





Hospital

| Safety Goals | Organizations Should | Implemented |
|--|--|--------------|
| Improve the accuracy of patient identification. | Use of Two Patient Identifiers | Ø |
| | Eliminating Transfusion Errors | \bigotimes |
| Improve the effectiveness of communication among caregivers. | Timely Reporting of Critical Tests and Critical Results | Ø |
| Improve the safety of using medications. | Labeling Medications | Ø |
| | Reducing Harm from Anticoagulation Therapy | \bigotimes |
| | Reconciling Medication Information | \bigotimes |
| Reduce the harm associated with clinical alarm systems. | Use Alarms Safely on Medical Equipment | Ø |
| Reduce the risk of health care-associated infections. | Meeting Hand Hygiene Guidelines | Ø |
| | Preventing Multi-Drug Resistant Organism Infections | \bigotimes |
| | Preventing Central-Line Associated Blood Stream Infections | 00000 |
| | Preventing Surgical Site Infections | \bigotimes |
| | Preventing Catheter-Associated Urinary Tract Infection | \bigotimes |
| The organization identifies safety risks inherent in its patient population. | Identifying Individuals at Risk for Suicide | Ø |
| Universal Protocol | Conducting a Pre-Procedure Verification Process | \bigotimes |
| | Marking the Procedure Site | \bigotimes |
| | Performing a Time-Out | \bigotimes |

Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
 The measure results are temporarily
- The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible relients that me
- **1.** There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | |
|-------------------------|---|---------------------------------------|-----------------------|
| | | Accredited C | organizations |
| Measure Area | Explanation | Nationwide | Statewide |
| Emergency Department | This category of evidence based measures assesses the time patients remain in the hospital Emergency Department prior to inpatient admission. | ∞ ² | 0 ² |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|--|-------------------------------|-------------------------|-------------------------------|-------------------------|
| | | 1 | lationwide | | State | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Most: | Weighte d Median: | Top 10% Scored at Most: | Weighte d Median: |
| Admit Decision Time to ED Departure Time for Admitted Patients | The amount of time (in minutes) it takes from the time the physician decides to admit a patient into the hospital from the Emergency Department until the patient actually leaves the ED to go to the inpatient unit. | VD2 79.00 minutes 897 eligible Patients | 55.00 | 132.00 | 46.08 | 100.49 |
| Median Time from ED Arrival to ED Departure for Admitted ED Patients | The amount of time (in minutes) from the time the patient arrives in the Emergency Department until the patient is admitted as an inpatient into the hospital. | 265.00 minutes 897 eligible Patients | 204.00 | 317.00 | 207.11 | 269.59 |

The Joint Commission only reports measures endorsed by the National Quality Forum.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to Comm | o other Joint lission |
|---|---|-----------------------|--------------------------|
| | | Accredited C | organizations |
| Measure Area | Explanation | Nationwide | Statewide |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ⊘ ² | ⊘ ² |

| | | Col | mpared to c Accredite | other Joint ed Organiz | | n |
|---|--|------------------------------------|--------------------------------|---------------------------|--------------------------------|------------------|
| | | 1 | lationwide | | State | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate | This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. | 92% of 377 eligible Patients | 100% | 95% | 100% | 95% |

The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|----------------------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 1 | 1 1 1 1 1 1 1 1 1 1 | |

| | | Compared to other Joint Com Accredited Organization | | | | n |
|---|---|--|--------------------------------|------------------|--------------------------------|------------------|
| | | ١ | lationwide | Ű | State | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years) | This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. | ND 3 | 100% | 97% | 3 | 3 |

The Joint Commission only reports measures endorsed by the National Quality Forum.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
 The measure results are temporarily
- The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|----------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | @ ² | @ ² | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|--|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | Nationwide | | | State | wide | |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years) | This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. | ND ³ | 100% | 96% | 3 | 3 |

The Joint Commission only reports measures endorsed by the National Quality Forum.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|----------------------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 1 2 | 1 1 1 1 1 1 1 1 1 1 | |

| | | | | other Joint ed Organiz | ations | |
|---|--|------------------------------------|--------------------------------|---------------------------|--------------------------------|--------------------------|
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | wide Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years) | This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. | 91% of 359 eligible Patients | 100% | 95% | 100% | 94% |

The Joint Commission only reports measures endorsed by the National Quality Forum.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|-----------------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 1 2 | № ² | |

| | | | | other Joint ed Organiz | ations | |
|---|---|-----------------------------------|--------------------------------|---------------------------|--------------------------------|------------------|
| | | | lationwide | | | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years) | This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. | 94% of 18 eligible Patients | 100% | 94% | 100% | 96% |

The Joint Commission only reports measures endorsed by the National Quality Forum.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

| | Symbol Key |
|----------|---|
| 0 | This organization achieved the best possible results |
| | This organization's performance is above the target range/value. |
| Ø | This organization's performance is similar to the target range/value. |
| | This organization's performance is below the target range/value. |
| N | Not displayed |
| | |

Footnote Key

(

- The Measure or Measure Set was not 1. reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement. 9.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement. 11
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|----------------------------|--|
| | | Accredited O | rganizations | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ™ ² | 1 1 1 1 1 1 1 1 1 1 | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|---|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | | lationwide | | State | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate | This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands. | 29% of 52 eligible Patients | 100% | 62% | 100% | 61% |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12 | This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | ND 3 | 100% | 43% | 3 | 3 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- 1. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|--------------|--|
| | | Accredited C | rganizations | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | @ ² | 1 | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|---|---|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Nationwide Statewide | | | wide | |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17 | This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | ₩ 3 ——— | 100% | 50% | 3 | 3 |

The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

--- Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|----------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | @ ² | @ ² | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|--|--|------------------|--------------------------------|---------------------------|
| Measure | Explanation | Hospital Results | Nationwide Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | ewide Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64 | This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | O 30% of 50 eligible Patients | 100% | 63% | 97% | 61% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017



Footnote Key

- The Measure or Measure Set was not 1. reported.
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement. 9.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement. 11
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|------------|--|
| | | Accredited Organizations | | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | № ² | 1 2 | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|---|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Ν | lationwide | | | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older | This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | ND ⁴ | 100% | 59% | 100% | 60% |
| Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate | This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 0.50 (47 Total Hours in Restraint) | N/A | 0.48 | N/A | 0.11 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results This organization's performance is 0 above the target range/value. This organization's performance is \oslash similar to the target range/value. This organization's performance is e below the target range/value. lot displayed ND

Footnote Key

- The Measure or Measure Set was not 1. reported.
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement. 9.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement. 11
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|-----------------------|--|
| | | Accredited C | Organizations | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 1 2 | O ² | |

| | | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|--|--------------------------------|------------------|--------------------------------|------------------|
| | | 1 | Nationwide | Ŭ | State | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Hours of Physical Restraint Use Children Age 1 - 12 | This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | ND ³ | N/A | 0.33 | 3 | 3 |
| Hours of Physical Restraint Use Adolescents Age 13 - 17 | This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 3 | N/A | 0.23 | 3 | 3 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed. ____



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
 The measure results are temporarily
- The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible patients that met
- 1. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | | |
|---|---|---------------------------------------|---------------|--|
| | | Accredited C | Organizations | |
| Measure Area | Explanation | Nationwide | Statewide | |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 1 2 | 2 | |

| Compared to other Joint Commission Accredited Organizations | | | on | | | |
|---|---|--|-----|------------------|--------------------------------|------|
| | | Nationwide Statewide | | | ewide | |
| Measure | Explanation | Hospital Results | | Average Rate: | Top 10% Scored at Least: | |
| Hours of Physical Restraint Use Adults Age 18 - 64 | This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 0.53 (47 Total Hours in Restraint) | N/A | 0.57 | N/A | 0.11 |
| Hours of Physical Restraint Use Older Adults Age 65 and Older | This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 0.00 (0 Total Hours in Restraint) | N/A | 0.13 | N/A | 0.08 |
| Hours of Seclusion Use per 1000 Patient Hours - Overall Rate | This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 0.00 (0 Total Hours in Seclusion) | N/A | 0.36 | N/A | 0.11 |

The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best ossible results This organization's performance is Ð above the target range/value. This organization's performance is Ø similar to the target range/value. This organization's performance is e below the target range/value. lot displayed ND

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement. 11
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

| | | Compared to other Joint Commission | |
|---|---|---------------------------------------|-----------------------|
| | | Accredited C | Organizations |
| Measure Area | Explanation | Nationwide | Statewide |
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | @ ² | ∞ ² |

| | | Compared to other Joint Commission Accredited Organizations | | | | n |
|---|---|--|--------------------------------|------------------|--------------------------------|------------------|
| | | | lationwide | | | wide |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Hours of Seclusion Use Children Age 1 - 12 | This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | ∞ ³ | N/A | 0.59 | 3 | 3 |
| Hours of Seclusion Use Adolescents Age 13 - 17 | This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 60 ³ | N/A | 0.20 | <u></u> 3 | 3 |
| Hours of Seclusion Use Adults Age 18 - 64 | This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 0.00 (0 Total Hours in Seclusion) | N/A | 0.42 | N/A | 0.12 |
| Hours of Seclusion Use Older Adults Age 65 and Older | This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 0.00 (0 Total Hours in Seclusion) | N/A | 0.04 | N/A | 0.05 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

| | | Compared to other Joint Commission | |
|--------------|---|---------------------------------------|-----------------------|
| | | Accredited C | organizations |
| Measure Area | Explanation | Nationwide | Statewide |
| Immunization | This evidence-based prevention measure set assesses immunization activity for pneumonia and influenza. | 2 | № ² |

| | | Compared to other Joint Commission Accredited Organizations | | | | n |
|------------------------|---|--|--------------------------------|-----|--------------------------------|------------------|
| | | Ν | lationwide | | State | wide |
| Measure Explanation | | Hospital Results | Top 10% Scored at Least: | 0 | Top 10% Scored at Least: | Average Rate: |
| Influenza Immunization | This prevention measure addresses acute care hospitalized inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated. | 93% of 589 eligible Patients | 100% | 94% | 99% | 95% |

The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

-- Null value or data not displayed.

Symbol Key

This organization achieved the best possible results
 This organization's performance is above the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is below the target range/value.
 Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
 There were no eligible rations that me
- 1. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Symbol Key

possible results

ot displayed

0

 \oslash

e

ND

1.

2.

3.

4.

5.

8.

9.

11

valid.

sample of patients.

updated data. 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.

reported.

overall result.

This organization achieved the best

This organization's performance is

similar to the target range/value. This organization's performance is

above the target range/value. This organization's performance is

below the target range/value.

Footnote Key

The Measure or Measure Set was not

The number of patients is not enough for comparison purposes

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement.

The measure results are temporarily suppressed pending resubmission of

There were no eligible patients that met

the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

The measure meets the Privacy Disclosure Threshold rule.

The Measure Set does not have an

TRINITY MEDICAL CTR EAST & TRINITY MEDICAL CTR WEST



National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

| | | Compared to other Joint Commission | |
|----------------|--|---------------------------------------|-----------------------|
| | | Accredited C | Organizations |
| Measure Area | Explanation | Nationwide | Statewide |
| Perinatal Care | This category of evidenced based measures assesses the care of mothers and newborns. | ⊘ ² | ™ ² |

| | | Compared to other Joint Commission Accredited Organizations | | | | n |
|-------------------------------|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Nationwide Statewide | | | | |
| Measure | Explanation | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Antenatal Steroids | This measure reports the overall number of mothers who were at risk of preterm delivery at 24-32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns. Antenatal steroids are steroids given before birth. | ∞ 3 | 100% | 98% | 100% | 99% |
| Elective Delivery | This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation to less than 39 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section. | 0% of 62 eligible Patients | 0% | 2% | 0% | 2% |
| Exclusive Breast Milk Feeding | This measure reports the overall number of newborns who are exclusively breast milk fed during the newborns entire hospitalization. Exclusive breast milk feeding is when a newborn receives only breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines. | 19% of 480 eligible Patients | 73% | 52% | 65% | 48% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed. ----



2014 National Patient Safety Goals

Nursing Care Center

| Safety Goals | Organizations Should | Implemented |
|--|--|--------------|
| Improve the accuracy of patient identification. | Use of Two Patient Identifiers | Ø |
| Improve the safety of using medications. | Reducing Harm from Anticoagulation Therapy | Ø |
| | Reconciling Medication Information | \bigotimes |
| Reduce the risk of health care-associated infections. | Meeting Hand Hygiene Guidelines | Ø |
| | Preventing Central-Line Associated Blood Stream Infections | \bigotimes |
| Reduce the risk of patient harm resulting from falls. | Implementing a Fall Reduction Program | Ø |
| Prevent health care-associated pressure ulcers (decubitus ulcers). | Assessing Resident Risk for Pressure Ulcers | Ø |

Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."