

Accreditation Quality Report





Version: 6 Date: 7/12/2019





Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH President of the Joint Commission









Summary of Quality Information

Accreditation Programs	Accreditation Decision	Effective	Last Full Survey	
		Date	Date	Survey Date
Behavioral Health Care	Accredited	11/14/2017	8/30/2017	8/30/2017
Home Care	Accredited	8/31/2017	8/30/2017	8/30/2017
Hospital	Accredited	11/17/2017	9/1/2017	6/26/2019
Nursing Care Center	Accredited	8/31/2017	8/30/2017	8/30/2017

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Hospital

Certified Programs	Certification Decision	Effective Date	Last Full Review Date	v Last On-Site Review Date
Post-Acute Care - Nursing Care Center	Post-Acute Care	11/14/2017	8/30/2017	8/30/2017

Other Accredited Programs/Services

• Hospital (Accredited by American College of Surgeons-Commission on Cancer (ACoS-COC))

		Compared to other Joint (Organiza	
		Nationwide	Statewide
Home Care	2014National Patient Safety Goals	Ø	(4) *
Hospital	2018National Patient Safety Goals	Ø	N/A *
	National Quality Improvement Goals:		
Reporting Period:	Emergency Department	ND ²	ND ²
Jan 2018 - Dec 2018	Hospital-Based Inpatient Psychiatric Services	ND 2	ND 2
	Immunization	ND 2	№ 2
	Perinatal Care	№ 2	ND 2

The Joint Commission only reports measures endorsed by the National Quality Forum.

Symbol Key

- This organization achieved the best possible results.
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value.

 This Measure is not applicable for this
- organization.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.





Nursing

Care

Center





Summary of Quality Information

2014National Patient Safety Goals

Symbol Key

- This organization achieved the best possible results.
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value.

 This Measure is not applicable for this
- organization.
- Not displayed

Footnote Key

- 1. The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Compared to other Joint Commission Accredited
Organizations

Nationwide Statewide

*

The Joint Commission only reports measures endorsed by the National Quality Forum.









Locations of Care

* Primary Location	
Locations of Care	Available Services
Chase Building 401 Market St. Steubenville, OH 43952	Services: • Outpatient Clinics (Outpatient)
Express Clinic Calcutta DBA: An outpatient department of Trinity Health System St. Route 170 Calcutta Square Calcutta OH. Suite B East Liverpool, OH 43920	Services: • Outpatient Clinics (Outpatient)
Express Clinic Toronto DBA: An outpatient department of Trinity Health System 1800 Franklin St. Toronto, OH 43964	Services: • Outpatient Clinics (Outpatient)
Medical Pavilion 4100 Johnson Road 4100 Johnson Road, Suite 102, 207,104, 101,208 Steubenville, OH 43952	Services: • Outpatient Clinics (Outpatient)
Outpatient Physical Therapy DBA: An outpatient department of Trinity Health System 1800 Franklin St. Toronto, OH 43964	Services: • Outpatient Clinics (Outpatient)
Teramana Cancer Center 3204 Johnson Road Steubenville, OH 43952	Services: Administration of High Risk Medications (Outpatient) Outpatient Clinics (Outpatient) Perform Invasive Procedure (Outpatient)
Trinity ExpressCare 148 Main St. Wintersville, OH 43953	Services: • Urgent Care (Outpatient)
Trinity Health System Cadiz 82424 Cadiz Jewitt Road Cadiz, OH 43907	Services: • Outpatient Clinics (Outpatient)









Locations of Care

* Primary Location

Locations of Care

Trinity Medical Center East *

380 Summit Avenue Steubenville, OH 43952

Available Services

Joint Commission Certified Programs:

• Post-Acute Care - Nursing Care Center

Services:

- Addiction
 Care/Adult/Child/Youth)
 (Non-detox Adult)
- Behavioral Health (Day Programs - Adult) (Non 24 Hour Care -Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Residential Care - Adult) (Partial - Adult)
- Chemical Dependency (Day Programs - Adult/Child/Youth) (Non 24 Hour Care -Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult/Child/Youth) (Non-detox - Adult)
- Family Support (Non 24 Hour Care)
- Home Health Aides
- Home Health, Non-Hospice Services
- Inpatient Unit (Inpatient)
- Occupational Therapy

- Outpatient Clinics (Outpatient)
- Personal Care/Support Non-Hospice
- Physical Therapy
- Rehabilitation Services
- Rehabilitation Unit (Inpatient, 24-hour Acute Care/Crisis Stabilization)
- Skilled Nursing Care
- Skilled Nursing Services
- Speech Language Pathology









Locations of Care

Locations of Care	Available Services
Trinity Medical Center West 4000 Johnson Road Steubenville, OH 43952	Services: Brachytherapy (Imaging/Diagnostic Services) Cardiac Catheterization Lab (Surgical Services) Cardiothoracic Surgery (Surgical Services) Cardiothoracic Surgery (Surgical Services) Cardiovascular Unit (Inpatient) Coronary Care Unit (Inpatient) CT Scanner (Imaging/Diagnostic Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) Gastroenterology (Surgical Services) Gastroenterology (Surgical Services) Gorneology (Inpatient) Hazardous Medication Compounding (Inpatient) Inpatient Unit (Inpatient) Indeptication Compounding (Inpatient) Inpatient Unit (Inpatient) Inpatient Unit (Inpatient) Indeptication Compounding (Inpatient) Inpatient Unit (Inpatient) Inpatient Unit (Inpatient) Indeptication Compounding (Inpatient) Inpatient Unit (Inpatient) Inpatient Unit (Inpatient) Indeptication Compounding (Inpatient) Pediatric Unit (Inpatient) Pediatric Unit (Inpatient) Pediatric Unit (Inpatient) Radiation Oncology (Imaging/Diagnostic Services) Services) Sterile Medication Compounding (Inpatient) Pediatric Unit (Inpatient) Radiation Oncology (Imaging/Diagnostic Services) Services) Sterile Medication Compounding (Inpatient) Pediatric Unit (Inpatient) Radiation Oncology (Imaging/Diagnostic Services) Sterile Medication Compounding (Inpatient) Services) Services) Vascular Surgery (Surgical Services)
Trinity Outpatient Endoscopy Center 1805 Sinclair Avenue Steubenville, OH 43952	Services: Administration of High Risk Medications (Outpatient) Anesthesia (Outpatient) Outpatient Clinics (Outpatient) Perform Invasive Procedure (Outpatient)









Locations of Care

	*	Pri	imary	/ Loca	tion
--	---	-----	-------	--------	------

Locations of Care

Available Services

Trinity WorkCare
380 Summit Ave. Suite
G105
Steubenville, OH 43952

Available Services

Services:

Outpatient Clinics (Outpatient)









2014 National Patient Safety Goals

Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Home Care

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Risks Associated with Home Oxygen	Ø









2018 National Patient Safety Goals

Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø Ø
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Multi-Drug Resistant Organism Infections	Ø
	Preventing Central-Line Associated Blood Stream Infections	8 8 8 8 8 8
	Preventing Surgical Site Infections	Ø
	Preventing Catheter-Associated Urinary Tract Infection	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø





Measure Area





National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Commission		
	Accredited C	rganizations
	Nationwide	Statewide
	№ 2	ND 2

Emergency Department	This category of evidence based measures asses time patients remain in the hospital Emergency Department prior to inpatient admission.	sses the	ND	2	№ 2	
		Con	npared to c	ther Joint	Commissio	n
			Accredite	ed Organiz	zations	
		N	lationwide		State	ewide
Measure	Explanation	Hospital	Top 10%	Weighte	Top 10%	Weight
		Results	Scored	ď	Scored	d
			at Most:	Median:	at Most:	Mediar

Explanation

		33.		ed Organiz	ations		
	Nationwide				Statewide		
Measure	Explanation	Hospital Results	Top 10% Scored at Most:	Weighte d Median:	Top 10% Scored at Most:	Weighte d Median:	
Admit Decision Time to ED Departure Time for Admitted Patients	The amount of time (in minutes) it takes from the time the physician decides to admit a patient into the hospital from the Emergency Department until the patient actually leaves the ED to go to the inpatient unit.	90.00 minutes 907 eligible Patients	56.00	137.00	51.45	119.12	
Median Time from ED Arrival to ED Departure for Admitted ED Patients	The amount of time (in minutes) from the time the patient arrives in the Emergency Department until the patient is admitted as an inpatient into the hospital.	279.00 minutes 907 eligible Patients	207.00	321.00	206.96	271.00	

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint Commission Accredited Organizations

		Cor	npared to c Accredit	other Joint ed Organiz		n
		١	lationwide		State	wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate	This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	95% of 238 eligible Patients	100%	94%	100%	94%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
 --- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.





Measure Area

Services

Hospital-Based





National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Nationwide Statewide Explanation This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients.

		Compared to other Joint Commission Accredited Organizations				n
		1	Nationwide			wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years)	This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	ND 3 ————	100%	95%	3	3

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Kev

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.





Measure Area

Services

Hospital-Based

Inpatient Psychiatric





National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Nationwide Statewide

№ 2

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

		Compared to other Joint Commission Accredited Organizations				n
		١	Nationwide			wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years)	This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	№ 03 ————	100%	95%	3	3

Explanation

This category of evidenced based measures assesses the

overall quality of care given to psychiatric patients.

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.





Measure Area

Services

Hospital-Based

Inpatient Psychiatric





National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Nationwide Statewide **№** 2

This organization's performance is above the target range/value. This organization's performance is

This organization achieved the best

Symbol Key

ossible results

Ø similar to the target range/value.

This organization's performance is below the target range/value.

ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

		Соі	npared to o	ther Joint ed Organiz		n
		1	Nationwide		State	wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years)	This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	94% of 227 eligible Patients	100%	94%	100%	93%

Explanation

This category of evidenced based measures assesses the

overall quality of care given to psychiatric patients.

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.





Measure Area

Services

Hospital-Based

Inpatient Psychiatric





National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Nationwide Statewide

№ 2

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

		Compared to other Joint Commission Accredited Organizations				n
		Nationwide Statewide			wide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years)	This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 11 eligible Patients	100%	94%	100%	96%

Explanation

This category of evidenced based measures assesses the

overall quality of care given to psychiatric patients.

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Соі	mpared to d	other Joint ed Organiz		on
			Nationwide	eu Organiz		ewide
Measure	Explanation	Hospital		Average	Top 10%	Average
		Results	Scored	Rate:	Scored	Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate	This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands.	100% of 28 eligible Patients	at Least:	63%	at Least:	60%
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12	This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication or the addition when the patient is also being treated with Clozapine.	€ 3	100%	42%	3	3

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Kev

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

		Commission			
		Accredited Organizations			
Measure Area	Explanation	Nationwide	Statewide		
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	№ ²	∞ ²		

		Compared to other Joint Commission Accredited Organizations				
		Nationwide Statewide				wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17	This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	3	100%	51%	3	3

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
- --- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Compared to other Joint









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Measure Area

Explanation

Measure Area

Explanation

Nationwide

Statewide

This category of evidenced based measures assesses the Inpatient Psychiatric Services

This category of care given to psychiatric patients.

		Compared to other Joint Commission Accredited Organizations				
		N	lationwide		State	wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64	This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication is also being treated with Clozapine.	100% of 28 eligible Patients	100%	65%	100%	60%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
 - Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint **Accredited Organizations** Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		0		Alexandra Sank	O	
		Coi	mpared to o	otner Joint ed Organiz		on
		1	Nationwide	cu Organiz		ewide
Measure	Explanation	Hospital	Top 10%	Average	Top 10%	Average
		Results	Scored	Rate:	Scored	Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older	This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication or the addition of an antipsychotic medication is also being treated with Clozapine.	3	at Least:	56%	100%	57%
Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.00 (0 Total Hours in Restraint)	N/A	0.46	N/A	0.10

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Kev

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	© 2	№ 2

		Compared to other Joint Commission Accredited Organizations				on
		1	Nationwide	ou Organiz		ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Physical Restraint Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	₩ 3 ———	N/A	0.34	3	3
Hours of Physical Restraint Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	€ 3	N/A	0.25	3	3

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

		Соі	mpared to d	other Joint ed Organiz		on
			Nationwide	eu Organiz		ewide
Measure	Explanation	Hospital Results		Average Rate:	Top 10% Scored at Least:	
Hours of Physical Restraint Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.00 (0 Total Hours in Restraint)	N/A	0.53	N/A	0.10
Hours of Physical Restraint Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.00 (0 Total Hours in Restraint)	N/A	0.18	N/A	0.04
Hours of Seclusion Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.00 (0 Total Hours in Seclusion)	N/A	0.36	N/A	0.11

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
 - Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Compared to other Joint









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Accredited Organizations Measure Area Nationwide Explanation Statewide Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Compared to other Joint Commission				
		Accredited Organizations				
		Nationwide St				ewide
Measure	Explanation	Hospital	Top 10%	Average	Top 10%	
		Results	Scored	Rate:	Scored	Rate:
Harma of Oa dhadan Har	This was a sure was sute the wound on of		at Least:		at Least:	
Hours of Seclusion Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	ND 3	N/A	0.61	3	3
Hours of Seclusion Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	ND 3	N/A	0.23	3	3
Hours of Seclusion Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.00 (0 Total Hours in Seclusion)	N/A	0.41	N/A	0.11
Hours of Seclusion Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.00 (0 Total Hours in Seclusion)	N/A	0.04	N/A	0.03

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Compared to other Joint





Measure Area

Immunization






National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

This evidence immunization

	Compared to other Joint Commission Accredited Organizations		
Explanation	Nationwide	Statewide	
e-based prevention measure set assesses	№ 2	ND 2	

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	0		Average Rate:
Influenza Immunization	This prevention measure addresses acute care hospitalized inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated.	89% of 539 eligible Patients	100%	94%	99%	95%



* This information can also be viewed at www.hospitalcompare.hhs.gov
 Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: January 2018 - December 2018

Compared to other Joint
Commission
Accredited Organizations
Nationwide Statewide

Measure Area	Explanation	Nationwide	Statewide
Perinatal Care	This category of evidenced based measures assesses the care of mothers and newborns.	© 2	№ 2

		Compared to other Joint Commission				
		Accredited Organizations Nationwide Statewide			and a	
Measure	Cyplonation			Averege		
Measure	Explanation	Hospital Results	Scored	Rate:	Top 10% Scored	Rate:
		Nesuits	at Least:	ixale.	at Least:	Nate.
Antenatal Steroids	This measure reports the overall number of mothers who were at risk of preterm delivery at 24-32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns. Antenatal steroids are steroids given before birth.	₩D ⁴	100%	98%	100%	99%
Elective Delivery	This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation to less than 39 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section.	2% of 47 eligible Pattents	0%	2%	0%	1%
Exclusive Breast Milk Feeding	This measure reports the overall number of newborns who are exclusively breast milk fed during the newborns entire hospitalization. Exclusive breast milk feeding is when a newborn receives only breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines.	22% of 436 eligible Patients	73%	52%	66%	48%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
 ---- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- below the target range/vinter Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









2014 National Patient Safety Goals

Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Nursing Care Center

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Central-Line Associated Blood Stream Infections	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
Prevent health care-associated pressure ulcers (decubitus ulcers).	Assessing Resident Risk for Pressure Ulcers	Ø