

Accreditation Quality Report





Version: 1 Date: 1/6/2024

Eleanor Slater Hospital 111 Howard Ave., Cranston, RI

Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Eleanor Slater Hospital

111 Howard Ave., Cranston, RI







Summary of Quality Information

Symbol Key The organization has met the National Patient Safety Goal. The organization has not met the National Patient Safety Goal. The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Accreditation Programs	Accreditation Decision	Effective	Last Full Surve	y Last On-Site
		Date	Date	Survey Date
Hospital	Accredited	9/23/2023	9/22/2023	12/1/2023
Laboratory	Accredited	7/22/2022	7/21/2022	7/21/2022

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Pathology and Clinical Laboratory Hospital

		Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital	2023National Patient Safety Goals	Ø	₩
Laboratory	2022National Patient Safety Goals	Ø	N/A *

Eleanor Slater Hospital

111 Howard Ave., Cranston, RI Org ID: 2020







Locations of Care

*	Primary	/ Location
	rillialy	Location

Filliary Location	
Locations of Care	Available Services
Eleanor Slater Hospital * 3 Regan Court Cranston, RI 02920	Services: Behavioral Health (24-hour Acute Care/Crisis Stabilization - Adult) General Laboratory Tests Inpatient Unit (Inpatient) Long Term Acute Care Unit (Inpatient) Toxicology
Eleanor Slater Hospital DBA: Eleanor Slater Hospital 54 Howard Ave Cranston, RI 02920	Services:
Eleanor Slater Hospital Zambarano Site 2090 Wallum Lake Road Pascoag, RI 02859	Services: General Laboratory Tests Inpatient Unit (Inpatient) Long Term Acute Care Unit (Inpatient)

Eleanor Slater Hospital

111 Howard Ave., Cranston, RI Org ID: 2020







2023 National Patient Safety Goals

Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø







2022 National Patient Safety Goals

Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Laboratory

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø