Accreditation Quality Report

The Joint Commission

Version: 4

Date: 8/1/2018

Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals - safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals - measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH
President of the Joint Commission

Quality Check®

Summary of Quality Information

Accreditation Programs	Accreditation Decision	Effective Date	Last Full Survey Date	Last On-Site Survey Date
🟡 Behavioral Health Care	Accredited	11/11/2015	11/10/2015	11/10/2015
🟡 Hospital	Accredited	11/11/2015	11/10/2015	6/26/2018

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Psychiatric Hospital

Special Quality Awards

2012 Top Performer on Key Quality Measures®

		Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Behavioral Health Care	**2015National Patient Safety Goals**	✓	N/A *
Hospital	**2015National Patient Safety Goals**	✓	N/A *
Reporting Period: Jan 2017 - Dec 2017	**National Quality Improvement Goals:** Hospital-Based Inpatient Psychiatric Services	N/D [2]	N/D [2]

The Joint Commission only reports measures endorsed by the National Quality Forum.

Locations of Care

* Primary Location

Locations of Care	Available Services
Crisis Residential Program 1001 Sterigere Street, Bld 45 Norristown, PA 19403	**Services:** ● Behavioral Health (Residential Care - Adult) ● Community Integration (Non 24 Hour Care) ● Family Support (Non 24 Hour Care) ● Peer Support (Non 24 Hour Care)
Montgomery County MH-MR Emergency Service * DBA: Montgomery County Emergency Service, Inc. 50 Beech Drive Norristown, PA 19403-5421	**Services:** ● Behavioral Health (24-hour Acute Care/Crisis Stabilization - Adult) ● Community Integration (Non 24 Hour Care) ● Family Support (Non 24 Hour Care) ● Peer Support (Non 24 Hour Care)

2015 National Patient Safety Goals

Behavioral Health Care

Safety Goals	Organizations Should	Implemented
Improve the accuracy of the identification of individuals served.	Use of Two Identifiers	✓
Improve the safety of using medications.	Reconciling Medication Information	✓
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	✓
The organization identifies safety risks inherent in the population of the individuals it serves.	Identifying Individuals at Risk for Suicide	✓

Symbol Key

✓ The organization has met the National Patient Safety Goal.

⊖ The organization has not met the National Patient Safety Goal.

N/A The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

2015 National Patient Safety Goals

Hospital

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	✓
	Eliminating Transfusion Errors	✓
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	✓
Improve the safety of using medications.	Labeling Medications	✓
	Reducing Harm from Anticoagulation Therapy	✓
	Reconciling Medication Information	✓
Use Alarms Safely	Use Alarms Safely on Medical Equipment	✓
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	✓
	Preventing Multi-Drug Resistant Organism Infections	✓
	Preventing Central-Line Associated Blood Stream Infections	✓
	Preventing Surgical Site Infections	✓
	Preventing Catheter-Associated Urinary Tract Infection	✓
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	✓
Universal Protocol	Conducting a Pre-Procedure Verification Process	✓
	Marking the Procedure Site	✓
	Performing a Time-Out	✓

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D ²	N/D ²

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate	This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	➕ 99% of 284 eligible Patients	100%	95%	100%	95%

The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years)	This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	N/D [3] ----	100%	97%	100%	99%

NQF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

Quality Check®

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	ⓃⒹ 2	ⓃⒹ 2

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years)	This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	ⓃⒹ 3 ----	100%	96%	100%	98%

Ⓝ𝖰𝖥 The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D 2	N/D 2

| Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years)	This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	⊕ 99% of 261 eligible Patients	100%	95%	100%	95%

The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov
---- Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D 2	N/D 2

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years)	This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	⭐ 100% of 23 eligible Patients	100%	94%	100%	90%

N/QF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Hospital Results	Compared to other Joint Commission Accredited Organizations			
			Nationwide		Statewide	
			Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate	This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands.	➖ 8% of 50 eligible Patients	100%	62%	98%	60%
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12	This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	N/D [3] ----	100%	43%	----[3]	----[3]

NQF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

This organization achieved the best possible results

This organization's performance is above the target range/value.

This organization's performance is similar to the target range/value.

This organization's performance is below the target range/value.

Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
		Hospital Results	Nationwide		Statewide	
			Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17	This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	N/D [3] ----	100%	50%	----[3]	----[3]

NQF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

		Compared to other Joint Commission Accredited Organizations	
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D 2	N/D 2

			Compared to other Joint Commission Accredited Organizations			
			Nationwide		Statewide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64	This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	⊖ 8% of 49 eligible Patients	100%	63%	100%	60%

The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Symbol Key

- ⭐ This organization achieved the best possible results
- ➕ This organization's performance is above the target range/value.
- ✔ This organization's performance is similar to the target range/value.
- ➖ This organization's performance is below the target range/value.
- N/D Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D 2	N/D 2

Measure	Explanation	Compared to other Joint Commission Accredited Organizations				
			Nationwide		Statewide	
		Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older	This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	N/D 4 ----	100%	59%	100%	58%
Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	➕ 0.09 (35 Total Hours in Restraint)	N/A	0.48	N/A	0.58

NQF The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

Montgomery County MH-MR Emergency Service

DBA: Montgomery County Emergency Service, Inc.,

50 Beech Drive, Norristown, PA

Org ID: 3113

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Hospital Results	Compared to other Joint Commission Accredited Organizations			
			Nationwide		Statewide	
			Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Physical Restraint Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	N/D [3] ----	N/A	0.33	N/A	0.48
Hours of Physical Restraint Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	N/D [3] ----	N/A	0.23	N/A	0.21

The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Hospital Results	Compared to other Joint Commission Accredited Organizations			
			Nationwide		Statewide	
			Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Physical Restraint Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	⊕ 0.09 (34 Total Hours in Restraint)	N/A	0.57	N/A	0.47
Hours of Physical Restraint Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	N/D [3] 0.10 (1 Total Hours in Restraint)[3]	N/A	0.13	N/A	2.22
Hours of Seclusion Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	⊕ 0.04 (14 Total Hours in Seclusion)	N/A	0.36	N/A	0.34

N/QF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.

Symbol Key

⭐ This organization achieved the best possible results

⊕ This organization's performance is above the target range/value.

✓ This organization's performance is similar to the target range/value.

⊖ This organization's performance is below the target range/value.

N/D Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

National Quality Improvement Goals

Reporting Period: January 2017 - December 2017

Measure Area	Explanation	Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	N/D [2]	N/D [2]

Measure	Explanation	Hospital Results	Compared to other Joint Commission Accredited Organizations			
			Nationwide		Statewide	
			Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Seclusion Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	N/D [3] ----	N/A	0.59	N/A	0.77
Hours of Seclusion Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	N/D [3] ----	N/A	0.20	N/A	0.19
Hours of Seclusion Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	➕ 0.03 (13 Total Hours in Seclusion)	N/A	0.42	N/A	0.38
Hours of Seclusion Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	N/D [3] 0.12 (1 Total Hours in Seclusion)[3]	N/A	0.04	N/A	0.04

NQF The Joint Commission only reports measures endorsed by the National Quality Forum.

*   This information can also be viewed at www.hospitalcompare.hhs.gov

----   Null value or data not displayed.