

# Accreditation Quality Report





# Eastern State Hospital 850 Maple Street, Medical Lake, WA

Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the
  prevention of medical errors such as surgery on the wrong side of
  the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.









## **Summary of Quality Information**

Accreditation Program	s Accreditation Decision	Effective Date	Last Full Surve	ey Last On-Site Survey Date
Hospital	Accredited	4/29/2023	4/28/2023	11/10/2023

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS) Psychiatric Hospital

		Compared to other Joint Commission Accredited Organizations		
		Nationwide	Statewide	
Hospital	2023National Patient Safety Goals	Ø	<b>№</b> *	
	National Quality Improvement Goals:			
Reporting Period: Jan 2021 - Dec 2021	Hospital-Based Inpatient Psychiatric Services	(V) <sup>2</sup>	(m) <sup>2</sup>	

#### Symbol Key

- This organization achieved the best oossible results.
- Φ This organization's performance is better than the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is worse than the target range/value.
- This Measure is not applicable for this organization.
- Not displayed

#### Footnote Key

- 1. The Measure or Measure Set was not
- The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.







# **Locations of Care**

#### \* Primary Location

Locations of Care

Available Services

# Eastern State Hospital \* DBA: Eastern State Hospital

Hosiptal 850 Maple Street Medical Lake, WA 99022-0800

#### **Services:**

- Behavioral Health (24-hour Acute Care/Crisis Stabilization Adult)
- General Laboratory Tests
- Peer Support (Non 24 Hour Care)







# **2023 National Patient Safety Goals**

#### **Symbol Key**

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

# Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	$\bigcirc$
	Marking the Procedure Site	$\bigcirc$
	Performing a Time-Out	Ø

850 Maple Street, Medical Lake, WA Org ID: 3153







## **National Quality Improvement Goals**

Reporting Period: January 2021 - December 2021

Compared to other Joint Commission Accredited Organizations

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	<b>№</b> <sup>2</sup>	<b>№</b> <sup>2</sup>

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate	This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	99% of 401 eligible Patients	100%	95%	99%	88%

This information can also be viewed at https://hospitalcompare.io/
--- Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

30.1.000						
		Соі	npared to c Accredit	other Joint ed Organiz		on
			lationwide		State	wide
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years)	This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	3	100%	97%		3

This information can also be viewed at https://hospitalcompare.io/
---- Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

Compared to other Joint







### **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Measure	Explanation		mpared to o Accredit Nationwide Top Perform er Threshol	other Joint ed Organiz Average Rate:		
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years)	This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	<b>№</b> 0 3	d: 100%	97%	d:	3

This information can also be viewed at https://hospitalcompare.io/
--- Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy
  Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.



Measure Area

Services

Hospital-Based

Inpatient Psychiatric





## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Compared to other Joint **Accredited Organizations** Statewide

Nationwide

**№** 2

### Symbol Key

- This organization achieved the best ossible results
- This organization's performance is better than the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- orse than the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years)	This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	99% of 382 eligible Patients	100%	95%	100%	87%

Explanation

This category of evidenced based measures assesses the

overall quality of care given to psychiatric patients.

- This information can also be viewed at https://hospitalcompare.io/
- Null value or data not displayed.

850 Maple Street, Medical Lake, WA Org ID: 3153







### **National Quality Improvement Goals**

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Reporting Period: January 2021 - December 2021

Compared to other Joint Commission Accredited Organizations

		Соі	npared to c Accredit	other Joint ed Organiz		n
		١	lationwide		State	wide
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years)	This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 19 eligible Patients	100%	94%	100%	86%

- This information can also be viewed at https://hospitalcompare.io/
- ---- Null value or data not displayed.







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Commission **Accredited Organizations** Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Соі	mpared to o	other Joint ed Organiz		on
Measure	Explanation	Hospital Results	Nationwide Top Perform er Threshol d:	Average Rate:		ewide Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate	This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands.	100% of 124 eligible Patients	100%	53%	82%	62%
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12	This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication or the addition when the patient is also being treated with Clozapine.	ND 3	100%	34%		3

- This information can also be viewed at https://hospitalcompare.io/
- Null value or data not displayed.

### Symbol Kev

- This organization achieved the best ossible results
- This organization's performance is better than the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is worse than the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Measure Area

Explanation

Measure Area

Explanation

Nationwide

Statewide

This category of evidenced based measures assesses the Inpatient Psychiatric Services

This category of care given to psychiatric patients.

		Col	mpared to o	other Joint ed Organiz		on
		1	Nationwide		State	ewide
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17	This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication is also being treated with Clozapine.	₩ <b>3</b> ————	100%	42%		3

This information can also be viewed at https://hospitalcompare.io/
--- Null value or data not displayed.

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy
  Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Measure	Explanation		mpared to december Accredit Nationwide Top Perform er Threshold:	other Joint ed Organiz Average Rate:	ations	ewide Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64	This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	100% of 121 eligible Patients	100%	56%	85%	67%

This information can also be viewed at https://hospitalcompare.io/
--- Null value or data not displayed.

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

850 Maple Street, Medical Lake, WA

Org ID: 3153

Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

		Compared to other Joint Commission Accredited Organizations				
			Accredit	ed Organiz		ewide
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older	This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification.  Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	100% of 3 eligible Patients	100%	43%	100%	40%
Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.0670 (145 Total Hours in Restraint)	N/A	0.8411	N/A	6.9045

\* This information can also be viewed at https://hospitalcompare.io/
 Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

		Compared to other Joint Commission					
		Accredited Organiz Nationwide			zations Statewide		
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:	
Hours of Physical Restraint Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	<b>€</b>	N/A	0.5600		3	
Hours of Physical Restraint Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	——————————————————————————————————————	N/A	0.4158		3	

\* This information can also be viewed at https://hospitalcompare.io/
 Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

850 Maple Street, Medical Lake, WA

Org ID: 3153







## **National Quality Improvement Goals**

Reporting Period: January 2021 - December 2021

Compared to other Joint
Commission
Accredited Organizations

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				n
		1	Nationwide		State	wide
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:
Hours of Physical Restraint Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.0696 (137 Total Hours in Restraint)	N/A	1.0167	N/A	8.6961
Hours of Physical Restraint Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.0416 (8 Total Hours in Restraint)	N/A	0.0925	N/A	0.0684
Hours of Seclusion Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	1.0507 (2279 Total Hours in Seclusion)	N/A	0.4255	N/A	3.0145

- This information can also be viewed at https://hospitalcompare.io/
- --- Null value or data not displayed.

#### Symbol Key

- This organization achieved the best possible results
- This organization's performance is better than the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is worse than the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.

Measure Area

Services

Hospital-Based

Inpatient Psychiatric

Explanation

overall quality of care given to psychiatric patients.









## **National Quality Improvement Goals**

#### Reporting Period: January 2021 - December 2021

Compared to other Joint Commission **Accredited Organizations** Nationwide Statewide

This category of evidenced based measures assesses the

**№** 2

### Symbol Kev

- This organization achieved the best ossible results
- This organization's performance is better than the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is orse than the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal

		Compared to other Joint Commissi Accredited Organizations				n	
		Nationwide			Statewide		
Measure	Explanation	Hospital Results	Top Perform er Threshol d:	Average Rate:	Top Perform er Threshol d:	Average Rate:	
Hours of Seclusion Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	ND 3	N/A	0.4104		3	
Hours of Seclusion Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	ND 3	N/A	0.1564		3	
Hours of Seclusion Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	1.1538 (2270 Total Hours in Seclusion)	N/A	0.5170	N/A	3.5656	
Hours of Seclusion Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.0487 (10 Total Hours in Seclusion)	N/A	0.0487	N/A	0.3354	

- This information can also be viewed at https://hospitalcompare.io/
- Null value or data not displayed.