

Accreditation Quality Report





Version: 1 Date: 6/29/2019



Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in the key area of National Patient Safety Goals - safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH

President of the Joint Commission



Governor Juan F. Luis Hospital and Medical Center

4007 Estate Diamond Ruby, Christiansted, VI

Org ID: 34038







Summary of Quality Information

The organization has met the National Patient Safety Goal. The organization has not met the

National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Accreditation Programs	Accreditation Decision	Effective	Last Full Survey Last On-Site	
		Date	Date	Survey Date
Laboratory	Accredited	6/24/2017	6/27/2019	6/27/2019

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Pathology and Clinical Laboratory

Laboratory

	Compared to other Joint Commission Accredited Organizations	
	Nationwide	Statewide
2017National Patient Safety Goals	Ø	N/A *

Governor Juan F. Luis Hospital and Medical Center

4007 Estate Diamond Ruby, Christiansted, VI

Org ID: 34038







Locations of Care

* Primary Location

Locations of Care

Governor Juan F. Luis Hospital and Medical Center * 4007 Estate Diamond Ruby Christiansted, VI 00820

Available Services

Services:

- Cardiac Catheterization Lab (Surgical Services)
- CT Scanner (Imaging/Diagnostic Services)
- Ear/Nose/Throat Surgery (Surgical Services)
- EEG/EKG/EMG Lab (Imaging/Diagnostic Services)
- Gastroenterology (Surgical Services)
- General Laboratory Tests
- Gynecological Surgery (Surgical Services)
- Gynecology (Inpatient)
- Inpatient Unit (Inpatient)
- Labor & Delivery (Inpatient)
- Medical /Surgical Unit (Inpatient)
- Medical ICU (Intensive Care Unit)
- Normal Newborn Nursery (Inpatient)

- Ophthalmology (Surgical Services)
- Orthopedic Surgery (Surgical Services)
- Outpatient Clinics (Outpatient)
- Pediatric Unit (Inpatient)
- Plastic Surgery (Surgical Services)
- Post Anesthesia Care Unit (PACU) (Inpatient)
- Surgical Unit (Inpatient)
- Teleradiology (Imaging/Diagnostic Services)
- Toxicology
- Ultrasound (Imaging/Diagnostic Services)
- Urology (Surgical Services)
- Vascular Surgery (Surgical Services)

Governor Juan F. Luis Hospital and Medical Center

4007 Estate Diamond Ruby, Christiansted, VI

Org ID: 34038







2017 National Patient Safety Goals

Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Laboratory

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø