

# Accreditation Quality Report





Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **Summary of Quality Information**

C.	700	bol	V.	0.17
S)	/ 111	DO		ey

0	This organization achieved the best possible results.
Ð	This organization's performance is above the target range/value.
Ø	This organization's performance is similar to the target range/value.
Θ	This organization's performance is below the target range/value.
•	This Measure is not applicable for this organization.
0	Not displayed

#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
   Test Measure: a measure being
- evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Accreditation Programs	Accreditation Decision	Effective Date	Last Full Survey Date	
	A 114 1			Survey Date
Home Care	Accredited	8/29/2019	12/15/2022	12/15/2022
🮯 Hospital	Accredited	8/31/2019	12/20/2022	2/24/2023
olimitation States Contract Co	Accredited	1/21/2022	7/9/2021	1/20/2022
Ø Nursing Care Center	Accredited	8/29/2019	8/28/2019	8/28/2019

#### Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Pathology and Clinical Laboratory Hospital

#### **Special Quality Awards**

2013 Top Performer on Key Quality Measures®

		Compared to other Joint Commission Accredited Organizations		
		Nationwide	Statewide	
Home Care	2019National Patient Safety Goals	$\bigotimes$	<b>*</b>	
Hospital	2019National Patient Safety Goals	Ø	<b>*</b>	
	National Quality Improvement Goals:			
Reporting Period: Apr 2020 - Mar 2021	Perinatal Care	@ <sup>2</sup>	(in) <sup>2</sup>	
Laboratory	2022National Patient Safety Goals	Ø	<b>∞</b> *	
Nursing Care Center	2019National Patient Safety Goals	Ø	<sup>*</sup>	

The Joint Commission only reports measures endorsed by the National Quality Forum.



DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **Locations of Care**

#### \* Primary Location

Locations of Care Available Services				
Aspirus Divine Savior Hospital & Clinics DBA: Aspirus Divine Savior Hospital and Clinics 2817 New Pinery Road Portage, WI 53901 Divine Savior Healthcare, Inc. DBA: Aspirus Divine Savior Hospital and	Services: • General Laboratory Tests • Outpatient Clinics (Outpatient) Services: • General Laboratory Tests • Outpatient Clinics (Outpatient)			
Clinics 2817 New Pinery Road Portage, WI 53901				
Divine Savior Healthcare, Inc. * DBA: Aspirus Divine Savior Hospital and Clinics 2817 New Pinery Road Portage, WI 53901-0387	<ul> <li>Services:</li> <li>CT Scanner (Imaging/Diagnostic Services)</li> <li>Ear/Nose/Throat Surgery (Surgical Services)</li> <li>EEG/EKG/EMG Lab (Imaging/Diagnostic Services)</li> <li>Gastroenterology (Surgical Services)</li> <li>General Laboratory Tests</li> <li>Gl or Endoscopy Lab (Imaging/Diagnostic Services)</li> <li>General Laboratory Tests</li> <li>Gl or Endoscopy Lab (Imaging/Diagnostic Services)</li> <li>Gynecological Surgery (Surgical Services)</li> <li>Gynecology (Inpatient)</li> <li>Hazardous Medication Compounding (Inpatient)</li> <li>Inpatient Unit (Inpatient)</li> <li>Labor &amp; Delivery (Inpatient)</li> <li>Inpatient Unit (Inpatient)</li> <li>Labor &amp; Delivery (Inpatient)</li> <li>Magnetic Resonance Imaging (Imaging/Diagnostic Services)</li> <li>Medical /Surgical Unit (Inpatient)</li> <li>Medical ICU (Intensive Care Unit)</li> <li>Non-Sterile Medication Compounding (Inpatient)</li> <li>Medical ICU (Intensive Care Unit)</li> <li>Non-Sterile Medication Compounding (Inpatient)</li> <li>Urology (Surgical Services)</li> <li>Urology (Surgical Services)</li> </ul>			
Tivoli at Divine Savior Healthcare, Inc. DBA: Tivoli at Divine Savior Healthcare, Inc. 2805 Hunters Trail Portage, WI 53901	Services: • Dementia Care • General Laboratory Tests • Home Health Aides • Home Health, Non-Hospice Services • Medical Social Services • Occupational Therapy			

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **2019 National Patient Safety Goals**

### **Home Care**

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Risks Associated with Home Oxygen	Ø

#### Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **2019 National Patient Safety Goals**

# Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	$\bigotimes$
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	$\bigotimes$
	Reconciling Medication Information	$\bigcirc$
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Infections that are difficult to treat	$\bigcirc$
	Preventing Central-Line Associated Blood Stream Infections	<u>ଷ</u> ର ଭ
	Preventing Surgical Site Infections	$\bigcirc$
	Preventing Catheter-Associated Urinary Tract Infection	$\bigcirc$
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	$\bigcirc$
	Marking the Procedure Site	$\bigcirc$
	Performing a Time-Out	$\bigcirc$

#### Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI

Statewide



# **National Quality Improvement Goals**

Reporting Po	eriod: April 2020 - March 2021		
		Compared to Comm	
		Accredited C	Organizations
Measure Area	Explanation	Nationwide	Statewide
Perinatal Care	This category of evidenced based measures assesses the care of mothers and newborns		<b>⊘</b> <sup>2</sup>

υσι	Iote Key

Symbol Key

ossible results

ot displayed

Ð

 $\oslash$ 

e

ND

This organization achieved the best

This organization's performance is

similar to the target range/value.

This organization's performance is

above the target range/value. This organization's performance is

below the target range/value.

- 1. The Measure or Measure Set was not reported. 2.
- The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement. 11
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

		Cor	mpared to c Accredit	other Joint ed Organiz		n
		Ν	lationwide		State	ewide
Measure	Explanation	Hospital Results		Average Rate:		Average Rate:
Elective Delivery	This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation to less than 39 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section.	13% of 23 eligible Patients	0%	2%	0%	2%

The Joint Commission only reports measures endorsed by the National Quality Forum.

This information can also be viewed at www.hospitalcompare.hhs.gov

Null value or data not displayed.

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **2022 National Patient Safety Goals**

### Laboratory

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø

#### Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.

DBA: Aspirus Divine Savior Hospital and Clinics, 2817 New Pinery Road, Portage, WI



# **2019 National Patient Safety Goals**

### **Nursing Care Center**

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	$\bigotimes$
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Central-Line Associated Blood Stream Infections	$\bigotimes$
	Preventing Catheter-Associated Urinary Tract Infection	$\bigotimes$
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
Prevent health care-associated pressure ulcers (decubitus ulcers).	Assessing Resident Risk for Pressure Ulcers	Ø

#### Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.