Nazareth Hospital 2601 Holme Avenue, Philadelphia, PA

Accreditation Quality Report







Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the
 prevention of medical errors such as surgery on the wrong side of
 the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH President of the Joint Commission Symbol Key

oossible results.

rganization.

Not displayed

overall result.

valid.

sample of patients.

updated data.

Test Measure: a measure being evaluated for reliability of the

the denominator criteria.

Footnote Key

1. The Measure or Measure Set was not

The Measure Set does not have an

The number of patients is not enough for comparison purposes.
 The measure meets the Privacy Disclosure Threshold rule.
 The organization scored above 90% but was below most other organizations.
 The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement. The measure results are temporarily suppressed pending resubmission of

individual data elements or awaiting

11. There were no eligible patients that met

National Quality Forum Endorsement.

This organization achieved the best

This organization's performance is above the target range/value.

This organization's performance is similar to the target range/value.

This organization's performance is below the target range/value.

This Measure is not applicable for this







Summary of Quality Information

Accreditation Programs	Accreditation Decision	Effective Date	Last Full Surve Date	y Last On-Site Survey Date
Hospital	Accredited	11/8/2014	11/7/2014	11/7/2014
Nursing Care Center	Accredited	1/6/2015	11/6/2014	11/6/2014

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Hospital

Advanced Certification	Certification Decision	Effective	Last Full R	Review Last On-Site
Programs		Date	Date	Review Date

Primary Stroke Center	Certification	11/18/2016	11/17/2016	11/17/2016
Certified Programs	Certification Decision	Effective	Last Full Revie	ew Last On-Site
		Date	Date	Review Date
Heart Failure	Certification	4/25/2017	4/24/2017	4/24/2017
Joint Replacement - Hip	Certification	10/22/2016	10/21/2016	10/21/2016
Joint Replacement - Knee	Certification	10/22/2016	10/21/2016	10/21/2016

Special Quality Awards

2014 Top Performer on Key Quality Measures®

2013 Top Performer on Key Quality Measures®

2012 Top Performer on Key Quality Measures®

2014 Gold Plus Get With The Guidelines - Heart Failure

E
For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."

		Compared to other Joint Organiz	
		Nationwide	Statewide
Hospital	2014National Patient Safety Goals	Ø	N/A *

The Joint Commission only reports measures endorsed by the National Quality Forum.











Summary of Quality Information

		Compared to other Joint Commission Accredited Organizations	
		Nationwide	Statewide
	National Quality Improvement Goals:		
Reporting Period:	Emergency Department	ND 2	ND ²
Oct 2015 - Sep 2016	Immunization	ND 2	№ 2
	Stroke Care	NOD 2	NO 2
	Tobacco Treatment	№ 2	2
	Venous Thromboembolism (VTE)	№ 2	© 2
Nursing Care Center	2014National Patient Safety Goals	Ø	*

The Joint Commission only reports measures endorsed by the National Quality Forum.





Symbol Key This organization achieved the best oossible results.

Φ This organization's performance is above the target range/value.

This organization's performance is similar to the target range/value.

This organization's performance is below the target range/value.

This Measure is not applicable for this organization.

Not displayed

Footnote Key

- 1. The Measure or Measure Set was not
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.







Locations of Care

* Primary Location

Locations of Care

Nazareth Hospital * DBA: Nazareth Hospital 2601 Holme Avenue Philadelphia, PA 19152-2096

Available Services

Joint Commission Advanced Certification Programs:

• Primary Stroke Center

Joint Commission Certified Programs:

- Heart Failure
- Joint Replacement Hip
- Joint Replacement Knee

Services:

- Cardiac Catheterization Lab (Surgical Services)
- CT Scanner (Imaging/Diagnostic Services)
- Dialysis Unit (Inpatient)
- Ear/Nose/Throat Surgery (Surgical Services)
- EEG/EKG/EMG Lab (Imaging/Diagnostic Services)
- Gastroenterology (Surgical Services)
- GI or Endoscopy Lab (Imaging/Diagnostic Services)
- Gynecological Surgery (Surgical Services)
- Inpatient Unit (Inpatient)
- Interventional Radiology (Imaging/Diagnostic Services)
- Long Term Acute Care Unit (Inpatient)
- Magnetic Resonance Imaging (Imaging/Diagnostic Services)
- Medical /Surgical Unit (Inpatient)
- Medical ICU (Intensive Care Unit)
- Neuro/Spine Unit (Inpatient)
- Neurosurgery (Surgical Services)
- Nuclear Medicine (Imaging/Diagnostic Services)
- Ophthalmology (Surgical Services)

- Orthopedic Surgery (Surgical Services)
- Orthopedic/Spine Unit (Inpatient)
- Outpatient Clinics (Outpatient)
- Plastic Surgery (Surgical Services)
- Positron Emission Tomography (PET) (Imaging/Diagnostic Services)
- Post Anesthesia Care Unit (PACU) (Inpatient)
- Radiation Oncology (Imaging/Diagnostic Services)
- Rehabilitation Services
- Rehabilitation Unit (Inpatient, 24-hour Acute Care/Crisis Stabilization)
- Skilled Nursing Care
- Surgical ICU (Intensive Care Unit)
- Surgical Unit (Inpatient)
- Teleradiology
 (Imaging/Diagnostic Services)
- Thoracic Surgery (Surgical Services)
- Ultrasound
- (Imaging/Diagnostic Services)
- Urology (Surgical Services)
- Vascular Surgery (Surgical Services)







2014 National Patient Safety Goals

Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Use Alarms Safely	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Multi-Drug Resistant Organism Infections	Ø
	Preventing Central-Line Associated Blood Stream Infections	0000
	Preventing Surgical Site Infections	Ø
	Preventing Catheter-Associated Urinary Tract Infection	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø

2601 Holme Avenue, Philadelphia, PA










National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Commission			
Accredited Organizations			
Nationwide Statewide			

		Accredited Organizations	
Measure Area	Explanation	Nationwide	Statewide
Emergency Department	This category of evidence based measures assesses the time patients remain in the hospital Emergency Department prior to inpatient admission.	N 2	№ 2

		Cor	Compared to other Joint Commission Accredited Organizations Nationwide Statewide			n
		1				wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:		Top 10% Scored at Least:	Average Rate:



This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- lot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.







National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint Commission
Accredited Organizations

Measure Area Explanation Nationwide Statewide

Immunization This evidence-based prevention measure set assesses immunization activity for pneumonia and influenza.

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Influenza Immunization	This prevention measure addresses acute care hospitalized inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated.	99% of 566 eligible Patients	100%	94%	100%	94%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
 Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.











National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint **Accredited Organizations**

Measure Area	Explanation	Nationwide	Statewide
Stroke Care	This category of evidence based measures assesses the overall quality of care provided to Stroke (STK) patients.	№ 2	№ 2

Measure	Explanation					
Thrombolytic Therapy	Acute ischemic stroke patients who receive a medicine that breaks up blood clots (thrombolytic therapy) within 180 minutes of stroke symptom onset. This measure reports how quickly ischemic stroke patients were given a medication that breaks up blood clots (thrombolytic therapy). Breaking up blood clots increases blood flow to the brain. If blood flow is returned to the brain quickly during a stroke, the risk of brain damage and loss of physical function is decreased. The medicine that breaks up clots in the arteries and allows the return of normal blood flow is called thrombolytic therapy or "t-PA". It is important that this medicine be given quickly after an ischemic stroke is diagnosed.	100% of 10 eligible Patients	100%	90%	100%	92%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

Compared to other Joint











National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Accredited Organizations Measure Area Statewide Explanation Nationwide Tobacco Treatment This category of evidence based measures assesses the overall quality of care provided for tobacco use

		Compared to other Joint Commission				
		Accredited Organizations				
		Nationwide		Statewide		
Measure	Explanation	Hospital	Top 10%	Average	Top 10%	
		Results	Scored at Least:	Rate:	Scored at Least:	Rate:
Tobacco Use Screening	The number of patients who were asked about tobacco use within the first three days of admission to the hospital.	100% of 733 eligible Patients	100%	98%	100%	99%
Tobacco Use Treatment	The number of patients who use tobacco who actually received counseling or medications to help them stop using tobacco.	76% of 123 eligible Patients	66%	34%	73%	34%
Tobacco Use Treatment at Discharge	The number of patients who use tobacco who accepted counseling and/or medications to help them stop using tobacco after they leave the hospital.	50% of 90 eligible Patients	33%	11%	44%	12%
Tobacco Use Treatment Provided or Offered	The number of patients who use tobacco who were offered or received counseling or medications to help them stop using tobacco. This measure also includes patients who were offered the counseling and/or medications but refused them.	99% of 123 eligible Patients	99%	68%	99%	69%
Tobacco Use Treatment Provided or Offered at Discharge	The number of patients who use tobacco who were offered or accepted counseling or medications to help them stop using tobacco after they leave the hospital. This measure also includes patients who were offered the counseling and/or medications but refused them.	93% of 90 eligible Patients	94%	48%	93%	53%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.



Symbol Key

ossible results

Ø

This organization achieved the best

This organization's performance is above the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is below the target range/value. lot displayed

Footnote Key The Measure or Measure Set was not

The Measure Set does not have an

The number of patients is not enough for comparison purposes. The measure meets the Privacy Disclosure Threshold rule.

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement. The measure results are temporarily suppressed pending resubmission of

There were no eligible patients that met

reported.

valid.

sample of patients.

updated data. 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.

overall result.










National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to	
Commis	
Accredited Or	ganizations
tionwide	Ctotowide

		Accredited Organizations		
Measure Area	Explanation	Nationwide	Statewide	
Venous Thromboembolism (VTE)	This category of evidence-based measures assesses the overall quality of care related to prevention and treatment of blood clots.	№ ²	₩D ²	

		Compared to other Joint Commission Accredited Organizations					
		Nationwide Sta			State	ewide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Rate:	Top 10% Scored at Least:	Average Rate:	
VTE Discharge Instructions	Patients with blood clots who were discharged to home, home with home health, home hospice or discharged/transferred to court/law enforcement on a blood thinning medication with written information. This measure reports the percent of patients who went home on warfarin who received instructions about compliance issues, dietary advice, follow-up monitoring and information about the potential for adverse drug reactions/interactions.	100% of 44 eligible Patients	100%	93%	100%	92%	



This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

For further information and explanation of the Quality Report contents,

refer to the "Quality Report User Guide."

the denominator criteria.

11







2014 National Patient Safety Goals

Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Nursing Care Center

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Central-Line Associated Blood Stream Infections	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
Prevent health care-associated pressure ulcers (decubitus ulcers).	Assessing Resident Risk for Pressure Ulcers	Ø