

Accreditation Quality Report





Version: 12 Date: 5/25/2017



Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

Mark R. Chassin, MD, MPP, MPH President of the Joint Commission

Symbol Key

ossible results.

rganization. Not displayed

This organization achieved the best

This organization's performance is above the target range/value. This organization's performance is similar to the target range/value. This organization's performance is below the target range/value. This Measure is not applicable for this

Reading Hospital 420 S. 5th Ave., West Reading, PA







Summary of Quality Information

Accreditation Programs	Accreditation Decision	Effective	Last Full Survey	Last On-Site
		Date	Date	Survey Date
Behavioral Health Care	Accredited	7/29/2014	7/28/2014	7/28/2014
O Home Care	Accredited	7/29/2014	7/28/2014	7/28/2014
Hospital	Accredited	8/2/2014	8/1/2014	8/1/2014
Laboratory	Accredited	11/14/2015	11/13/2015	11/13/2015

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Pathology and Clinical Laboratory

Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS)

Reading Hospital

420 S. 5th Ave., West Reading, PA. 19611

Hospital

Advanced Certification	Certification Decision	Effective	Last Full Revie	w Last On-Site
Programs		Date	Date	Review Date
Primary Stroke Center	Certification	3/17/2017	3/16/2017	3/16/2017
Certified Programs	Certification Decision	Effective	Last Full Revie	w Last On-Site
		Date	Date	Review Date
Heart Failure	Certification	3/5/2015	4/20/2017	4/20/2017
Joint Replacement - Hip	Certification	4/30/2015	4/29/2015	4/29/2015

4/30/2015

4/29/2015

4/29/2015

Other Accredited Programs/Services

• Hospital (Accredited by UHMS Clinical Hyperbaric Facility - Level 2)

Certification

• Hospital (Accredited by American College of Surgeons-Commission on Cancer (ACoS-COC))

Special Quality Awards

Joint Replacement - Knee

2014 Top Performer on Key Quality Measures®

2013 Top Performer on Key Quality Measures®

2015 Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program

2012 ACS National Surgical Quality Improvement Program

2012 Silver - The Medal of Honor for Organ Donation

2010 Silver - The Medal of Honor for Organ Donation

Footnote Key

- 1. The Measure or Measure Set was not
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule
- The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.











Summary of Quality Information

		Compared to other Joint Commission Accredited Organizations	
		Nationwide Statewide	
Behavioral Health Care	2014National Patient Safety Goals	Ø	*
Home Care	2014National Patient Safety Goals	Ø	№ *
Hospital	2014National Patient Safety Goals	Ø	N/A *
	National Quality Improvement Goals:		
Reporting Period:	Emergency Department	№ 2	№ 2
Oct 2015 - Sep 2016	Hospital-Based Inpatient Psychiatric Services	№ 2	№ 2
	Immunization	№ 2	№ ²
	Perinatal Care	2	ND 2
	Stroke Care	2	ND 2
	Venous Thromboembolism (VTE)	© ²	2
Laboratory	2015National Patient Safety Goals	Ø	(NA *

The Joint Commission only reports measures endorsed by the National Quality Forum.

Symbol Key

- This organization achieved the best oossible results.
- Φ This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value. This Measure is not applicable for this
- organization.
- Not displayed

Footnote Key

- 1. The Measure or Measure Set was not
- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a
- sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.

Reading Hospital 420 S. 5th Ave., West Reading, PA







Locations of Care

* Primary Location

Locations of Care	Available Services	
Occupational Health Services 1000 Tuckerton Court Reading, PA 19605	Triff ost Adule Reliab Hierapy dervices	
Reading Health Rehabilitation Hospital 2802 Papermill Road Wyomissing, PA 19610		







Locations of Care

* Primary Location

Locations of Care

Reading Hospital * 420 S. 5th Ave. West Reading, PA 19611

Available Services

Joint Commission Advanced Certification Programs:

• Primary Stroke Center

Joint Commission Certified Programs:

- Heart Failure
- Joint Replacement Hip
- Joint Replacement Knee

Other Clinics/Practices located at this site:

- Apheresis R3E
- Cancer Infusion Center
- Center for Public Health
- Center for Public Health
- Employee Health Services/Occupational Health Services, Suite
- Family Health Care Center
- Image Recovery Center
- Outpatient Services Clinic
- Reading Hospital Anticoagulation Clinic

- Reading Hospital Anticoagulation Clinic, Suite 375
- Reading Hospital Assertive Community Treatment Program
- Reading Hospital Imaging, Suite 365
- Reading Hospital Internal Medicine Practice
- TRHMC Imaging Services, Suite 135
- TRHMC Internal Medicine Practice
- TRHMC Laboratory Services, Suites 110
- Womens Health Center

Services:

- Assertive Community
 Treatment/Community
 Support Services (Non 24
 Hour Care Adult)
- Behavioral Health (Day Programs - Adult/Child/Youth) (Non 24 Hour Care -Adult/Child/Youth) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial - Adult/Child/Youth)
- Brachytherapy (Imaging/Diagnostic Services)
- Breast Prostheses and Accessories
- Cardiac Catheterization Lab (Surgical Services)
- Cardiac Surgery (Surgical Services)
- Cardiothoracic Surgery (Surgical Services)
- Chemical Dependency (Non 24 Hour Care - Adult)
- Community Integration (Non 24 Hour Care)
- Coronary Care Unit (Inpatient)

- Medical /Surgical Unit (Inpatient)
- Medical ICU (Intensive Care Unit)
- Neuro/Spine Unit (Inpatient)
- Neurosurgery (Surgical Services)
- Normal Newborn Nursery (Inpatient)
- Nuclear Medicine (Imaging/Diagnostic Services)
- Orthopedic Surgery (Surgical Services)
- Orthopedic/Spine Unit (Inpatient)
- Outpatient Clinics (Outpatient)
- Pediatric Unit (Inpatient)
- Peer Support (Non 24 Hour Care)
- Plastic Surgery (Surgical Services)
- Positron Emission Tomography (PET) (Imaging/Diagnostic Services)
- Post Anesthesia Care Unit (PACU) (Inpatient)
- Prosthetics (Home Medical Equipment)

Reading Hospital 420 S. 5th Ave., West Reading, PA







Locations of Care	Available Services
	 CT Scanner (Imaging/Diagnostic Services) Dialysis Unit (Inpatient) Ear/Nose/Throat Surgery (Surgical Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) Employment Services (Non 24 Hour Care) Family Support (Non 24 Hour Care) Gastroenterology (Surgical Services) General Laboratory Tests GI or Endoscopy Lab (Imaging/Diagnostic Services) Gynecological Surgery (Surgical Services) Gynecology (Inpatient) Hematology/Oncology Unit (Inpatient) Inpatient Unit (Inpatient) Interventional Radiology (Imaging/Diagnostic Services Vascular Surgery (Surgical Services) Vascular Surgery Vascular Surgery Vascular Surgery Vascular Surgery Vascular Surgery Vascu
Reading Hospital Children's Health Center 206 South Sixth Avenue West Reading, PA 19611	Services:
Reading Hospital Imaging 957 Benjamin Franklin Highway Douglassville, PA 19518	Other Clinics/Practices located at this site: • Reading Hospital Laboratory Services: • Outpatient Clinics (Outpatient)
Reading Hospital Imaging at Wyomissing Family Practice 1350 Broadcasting Road Reading, PA 19610	Services: • Outpatient Clinics (Outpatient)
Reading Hospital Lab at Kenhorst 600 High Boulevard Reading, PA 19607	Services: General Laboratory Tests Laboratory Draw Station (Outpatient)

Reading Hospital 420 S. 5th Ave., West Reading, PA







Locations of Care	Available Services
Reading Hospital Outpatient Therapy 7189 Bernville Rd. Bernville, PA 19506	Services: • Outpatient Clinics (Outpatient)
Reading Hospital Outpatient Therapy 1920 Kutztown Rd. Reading, PA 19604	Services: • Outpatient Clinics (Outpatient)
Reading Hospital Outpatient Therapy 3701 Perkiomen Ave Reading, PA 19606	Services: • Single Specialty Practitioner (Outpatient)
The Reading Hospital at Elverson 310 Darby Square Elverson, PA 19520	Other Clinics/Practices located at this site: • The Reading Hospital Imaging Services at Elverson • The Reading Hospital Laboratory Services at Elverson Services: • Outpatient Clinics (Outpatient)
The Reading Hospital at Spring Ridge 2603 Keiser Blvd Wyomissing, PA 19610	Other Clinics/Practices located at this site: • The Reading Hospital Imaging Services at Spring Ridge • The Reading Hospital Laboratory Services at Spring Ridge • The Reading Hospital Wound Healing & Hyperbaric Medicine Cer Services: • General Laboratory Tests • Outpatient Clinics (Outpatient)
The Reading Hospital at Wyomissing Plaza 2101 State Hill Road Wyomissing, PA 19610	Other Clinics/Practices located at this site: • TRHMC Outpatient Therapy Services • TRHMC Speech & Hearing Services Services: • Outpatient Clinics (Outpatient)
The Reading Hospital Drug & Alcohol Center 401 Buttonwood Street West Reading, PA 19611	Services:
The Reading Hospital Imaging and Lab at Berkshire Heights 950A & B North Wyomissing Boulevard Wyomissing, PA 19610	Other Clinics/Practices located at this site: • The Reading Hospital Imaging at Berkshire Heights • The Reading Hospital Laboratory at Berkshire Heights Services:







Locations of Care	Available Services
The Reading Hospital maging and Laboratory at Hamburg 31 Industrial Drive Hamburg, PA 19526	Other Clinics/Practices located at this site: Reading Hospital Miller Regional Heart Center Cardiac Testin Reading Hospital Outpatient Therapy, Suite 129 RH Miller Regional Heart Center Cardiac Testing Services: General Laboratory Tests Outpatient Clinics (Outpatient)
The Reading Hospital Imaging Center at Broadcasting Road 1320 Broadcasting Road Wyomissing, PA 19610	Other Clinics/Practices located at this site: • Heart Health & Fitness, Suite 111 • Miller Regional Heart Center • RH Miller Regional Heart Center Cardiac Testing Services: • General Laboratory Tests • Outpatient Clinics (Outpatient)
The Reading Hospital Imaging Center at Exeter 2 Hearthstone Court Reading, PA 19606	Services: General Laboratory Tests Outpatient Clinics (Outpatient)
The Reading Hospital Lab & Imaging Services at Gateway 1020 Grings Hill Road Reading, PA 19608-8844	Other Clinics/Practices located at this site: • Reading Hospital Physical Therapy Services: • General Laboratory Tests • Outpatient Clinics (Outpatient)
The Reading Hospital Lab & Imaging Services at Kutztown 15050 Kutztown Road Kutztown, PA 19530	Other Clinics/Practices located at this site: • Reading Hospital Physical Therapy Services: • Outpatient Clinics (Outpatient)
The Reading Hospital Lab & Imaging Services at Leesport 5479 Pottsville Pike Leesport, PA 19533	Services: • General Laboratory Tests • Outpatient Clinics (Outpatient)
The Reading Hospital Lab Services at Boyertown 146 South Reading Avenue Boyertown, PA 19512	Services: • Laboratory Draw Station (Outpatient)
The Reading Hospital Lab Services at West Lawn 25 Stevens Avenue West Lawn, PA 19609	Services: • Laboratory Draw Station (Outpatient)

Reading Hospital 420 S. 5th Ave., West Reading, PA







Primary Location Locations of Care	Available Services
	Available Services
The Reading Hospital Laboratory at Bernville	Services:
7169 Bernville Road	Laboratory Draw Station (Outpatient)
Bernville, PA 19506	Laboratory Draw Station (Outpatient)
The Reading Hospital	
Laboratory at	Services:
Womelsdorf	 Laboratory Draw Station (Outpatient)
1137 West Penn Avenue	
Womelsdorf, PA 19567 The Reading Hospital	
Laboratory Services at	Services:
Reiffton	
3703 Perkiomen Avenue	Laboratory Draw Station (Outpatient)
Reading, PA 19606	
The Reading Hospital	
Outpatient Nutrition	Services:
Counseling Service 200 North Park Road	 Single Specialty Practitioner (Outpatient)
Wyomissing, PA 19610	
TRH Center for Mental	Other Clinics/Practices located at this site:
Health and Behavioral	TRH Behavorial Medicine Center, Suite 204
Medicine	TRH Center for Mental Health, Suite 301 and 308
560 Van Reed Road	• Titi Center for Mental Health, Suite 301 and 300
Wyomissing, PA 19610	Services:
	Behavioral Health (Non 24 Hour Care - Adult/Child/Youth)
	Outpatient Clinics (Outpatient)
	(
TRH Center for Mental	
Health at Birdsboro	Services:
321 Furnace Street, Suite	 Chemical Dependency (Non 24 Hour Care - Adult)
H60 Birdahara BA 10509	
Birdsboro, PA 19508 TRH Center for Mental	
Health at Brecknock	Services:
Elementary School	Behavioral Health (Non 24 Hour Care - Child/Youth)
1332 Alleghanyville Road	5 Sonavioral Floating (1901) 24 Float Odio - Offilia/ Touting
Mohnton, PA 19540	
TRH Center for Mental	a ·
Health at Cumru	Services:
Elementary School 601 Philadelphia Avenue	 Behavioral Health (Non 24 Hour Care - Child/Youth)
Shillington, PA 19607	
TRH Center for Mental	
Health at Governor	Services:
Mifflin Inter. Sch.	Behavioral Health (Non 24 Hour Care - Child/Youth)
600 Governor Drive	2 25. A Total Florida (Total 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Shillington, PA 19607	
TRH Center for Mental	
Health at Kutztown	Services:
Health at Kutztown University	Services: • Chemical Dependency (Non 24 Hour Care - Adult)
Health at Kutztown	







Locations of Care

* Primary Location

Wyomissing, PA 19610

Locations of Care TRH Center for Mental Health at Wyomissing High School **Services:**

630 Evans Avenue

• Behavioral Health (Non 24 Hour Care - Child/Youth)

Available Services







Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Behavioral Health Care

Safety Goals	Organizations Should	Implemented
Improve the accuracy of the identification of individuals served.	Use of Two Identifiers	Ø
Improve the safety of using medications.	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
The organization identifies safety risks inherent in the population of the individuals it serves.	Identifying Individuals at Risk for Suicide	Ø







Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Home Care

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Risks Associated with Home Oxygen	Ø







Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Use Alarms Safely	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Multi-Drug Resistant Organism Infections	Ø
	Preventing Central-Line Associated Blood Stream Infections	8888
	Preventing Surgical Site Infections	Ø
	Preventing Catheter-Associated Urinary Tract Infection	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø

Compared to other Joint

Symbol Kev

possible results

ot displayed

reported.

valid.

sample of patients.

updated data. 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting

overall result.

Footnote Key The Measure or Measure Set was not

The Measure Set does not have an

The number of patients is not enough for comparison purposes. The measure meets the Privacy Disclosure Threshold rule.

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement. The measure results are temporarily suppressed pending resubmission of

National Quality Forum Endorsement.

There were no eligible patients that met

Ø

This organization achieved the best

This organization's performance is above the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is below the target range/value.





Measure Area

Emergency

Department





National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

	Commission	
	Accredited Organizations	
Explanation	Nationwide	Statewide
This category of evidence based measures assesses the time patients remain in the hospital Emergency Department prior to inpatient admission.	№ ²	№ ²

		Cor		other Joint ed Organiz	Commissio ations	n
		N	lationwide		State	wide
Measure	Explanation	Hospital Results	Top 10% Scored at Most:	Weighte d Median:	Top 10% Scored at Most:	Weighte d Median:
Admit Decision Time to ED Departure Time for Admitted Patients	The amount of time (in minutes) it takes from the time the physician decides to admit a patient into the hospital from the Emergency Department until the patient actually leaves the ED to go to the inpatient unit.	122.00 minutes 751 eligible Patients	53.00	124.00	60.52	119.58
Median Time from ED Arrival to ED Departure for Admitted ED Patients	The amount of time (in minutes) from the time the patient arrives in the Emergency Department until the patient is admitted as an inpatient into the hospital.	312.00 minutes 756 eligible Patients	202.00	311.00	217.06	296.12

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.
- For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

the denominator criteria.

Measure	Explanation		Top 10% Scored	ed Organiz Weighte d	cations State Top 10% Scored	ewide Weighte d
			at Most:	Median:	at Most:	Median:
Admit Decision Time to ED Departure Time for Admitted Patients	The amount of time (in minutes) it takes from the time the physician decides to admit a patient into the hospital from the Emergency Department until the patient actually leaves the ED to go to the inpatient unit.	122.00 minutes 751 eligible Patients	53.00	124.00	60.52	119.58
Median Time from ED Arrival to ED Departure for Admitted ED Patients	The amount of time (in minutes) from the time the patient arrives in the Emergency Department until the patient is admitted as an inpatient into the hospital.	312.00 minutes 756 eligible Patients	202.00	311.00	217.06	296.12



Measure Area

Hospital-Based

Services

Inpatient Psychiatric





National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint **Accredited Organizations**

Nationwide Statewide


№ 2

$\overline{}$	possible results
4	This organization's pe
·	above the target range

Symbol Key

rformance is /value

This organization achieved the best



This organization's performance is below the target range/value.

ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

		Co	mpared to d	other Joint ed Organiz		on
		1	Nationwide			wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate	This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 1026 eligible Patients	100%	94%	100%	95%

Explanation

This category of evidenced based measures assesses the

overall quality of care given to psychiatric patients.

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	© 2	№ 2

		Co	mpared to o	other Joint ed Organiz		on
		1	Nationwide			ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years)	This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 858 eligible Patients	100%	94%	100%	94%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

Compared to other Joint









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Accredited Organizations Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Cor	npared to o Accredit	other Joint ed Organiz		n
		N	lationwide		State	ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years)	This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 168 eligible Patients	100%	92%	100%	93%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Kev

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint Commission

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	ND 2	№ 2

		Cor	npared to c Accredit	other Joint ed Organiz		on
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	State Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate	This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands.	68% of 37 eligible Patients	100%	62%	96%	62%
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64	This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	72% of 32 eligible Patients	100%	63%	96%	62%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø
- similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

Compared to other Joint









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Accredited Organizations Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

25,11525						
		Соі	mpared to o	other Joint ed Organiz		on
			Nationwide			ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older	This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	40% of 5 eligible Patients ³	100%	56%	100%	63%
Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	1.71 (469 Total Hours in Restraint)	N/A	0.49	N/A	0.43

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Kev

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

Compared to other Joint







National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

		Cor	npared to c	other Joint ed Organiz		on
		<u> </u>	lationwide	eu Organiz		ewide
Measure	Explanation	Hospital Results	Top 10% Scored	Average Rate:	Top 10% Scored	
			at Least:		at Least:	
Hours of Physical Restraint Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric	2.07 (447 Total Hours in Restraint)	N/A	0.53	N/A	0.46
Hours of Physical Restraint Use Older Adults Age 65 and Older	condition. This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.37 (21 Total Hours in Restraint)	N/A	0.38	N/A	0.66
Hours of Seclusion Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.18 (48 Total Hours in Seclusion)	N/A	0.36	N/A	0.37

The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- --- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.







National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint Commission					
Accredited Organizations					
ationwide	Statewide				

№ 2

Measure Area	Explanation	Nationwid
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	™ ²

		Compared to other Joint Commission Accredited Organizations				
M	Familian a Kan		lationwide	^		wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Seclusion Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.22 (48 Total Hours in Seclusion)	N/A	0.41	N/A	0.42
Hours of Seclusion Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.00 (0 Total Hours in Seclusion)	N/A	0.08	N/A	0.17

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- * This information can also be viewed at www.hospitalcompare.hhs.gov
- ---- Null value or data not displayed.

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value.
- Not displayed

Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to	o other Joint
Comm	nission
Accredited C	rganizations
ationwide	Statewide

		Accredited Organizations	
Measure Area	Explanation	Nationwide	Statewide
Immunization	This evidence-based prevention measure set assesses immunization activity for pneumonia and influenza.	№ 2	№ 2

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	0	Top 10%	Average Rate:
Influenza Immunization	This prevention measure addresses acute care hospitalized inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated.	99% of 699 eligible Patients	100%	94%	100%	94%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- lot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.







National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint **Accredited Organizations**

Measure Area	Explanation	Nationwide	Statewide
Perinatal Care	This category of evidenced based measures assesses the care of mothers and newborns.	№ 2	© ²

		Compared to other Joint Commission Accredited Organizations				on	
		١	lationwide			tewide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:	
Antenatal Steroids	This measure reports the overall number of mothers who were at risk of preterm delivery at 24-32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns. Antenatal steroids are steroids given before birth.	98% of 85 eligible Patients	100%	98%	100%	98%	
Elective Delivery	This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation to less than 39 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section.	1% of 295 eligible Patlents	0%	2%	0%	2%	
Exclusive Breast Milk Feeding	This measure reports the overall number of newborns who are exclusively breast milk fed during the newborns entire hospitalization. Exclusive breast milk feeding is when a newborn receives only breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines.	52% of 2889 eligible Patlents	75%	53%	63%	49%	



The Joint Commission only reports measures endorsed by the National Quality Forum.

- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.









National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

Compared to other Joint **Accredited Organizations**

Measure Area	Explanation	Nationwide	Statewide
Stroke Care	This category of evidence based measures assesses the overall quality of care provided to Stroke (STK) patients.	⊚ ²	№ 2

Measure	Explanation		npared to c Accredite lationwide Top 10% Scored at Least:	ed Organiz	ations State	ewide Average Rate:
Thrombolytic Therapy	Acute ischemic stroke patients who receive a medicine that breaks up blood clots (thrombolytic therapy) within 180 minutes of stroke symptom onset. This measure reports how quickly ischemic stroke patients were given a medication that breaks up blood clots (thrombolytic therapy). Breaking up blood clots increases blood flow to the brain. If blood flow is returned to the brain quickly during a stroke, the risk of brain damage and loss of physical function is decreased. The medicine that breaks up clots in the arteries and allows the return of normal blood flow is called thrombolytic therapy or "t-PA". It is important that this medicine be given quickly after an ischemic stroke is diagnosed.	97% of 30 eligible Patients	100%	90%	100%	92%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

ossible results

Symbol Key

- This organization achieved the best
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- lot displayed

Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

Compared to other Joint



Symbol Key

ossible results

Ø

This organization achieved the best

This organization's performance is above the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is below the target range/value. lot displayed

Footnote Key

reported.

valid.

sample of patients.

updated data. 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.

overall result.

The Measure or Measure Set was not

The Measure Set does not have an

The number of patients is not enough for comparison purposes. The measure meets the Privacy Disclosure Threshold rule.

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement. The measure results are temporarily suppressed pending resubmission of







National Quality Improvement Goals

Reporting Period: October 2015 - September 2016

		Commission		
		Accredited Organizations		
Measure Area	Explanation	Nationwide	Statewide	
Venous Thromboembolism (VTE)	This category of evidence-based measures assesses the overall quality of care related to prevention and treatment of blood clots.	ND 2	№ 2	

		Compared to other Joint Commission Accredited Organizations Nationwide Statewide				
Measure	Explanation	Hospital Results	Top 10% Scored at Least:		Top 10% Scored at Least:	Average Rate:
VTE Discharge Instructions	Patients with blood clots who were discharged to home, home with home health, home hospice or discharged/transferred to court/law enforcement on a blood thinning medication with written information. This measure reports the percent of patients who went home on warfarin who received instructions about compliance issues, dietary advice, follow-up monitoring and information about the potential for adverse drug reactions/interactions.	98% of 45 eligible Patients	100%	93%	100%	92%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

There were no eligible patients that met

refer to the "Quality

the denominator criteria.

For further information and explanation of the Quality Report contents, Report User Guide."









Symbol Key

- The organization has met the National Patient Safety Goal.
 - The organization has not met the National Patient Safety Goal.
- The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Laboratory

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø