

Org ID: 7709

# Accreditation Quality Report





Version: 3 Date: 3/16/2021

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

Gopher Drive, Tomah, WI Org ID: 7709

Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in the key area of National Patient Safety Goals - safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

er Drive, Tomah, WI Org ID: 7709







# **Summary of Quality Information**

	Symbol Key			
Ø	The organization has met the National Patient Safety Goal.			
0	The organization has not met the National Patient Safety Goal.			
(NA)	The Goal is not applicable for this organization.			

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Accreditation Programs	<b>Accreditation Decision</b>	Effective Date	Last Full Survey Date	Last On-Site Survey Date
Critical Access Hospital	Accredited	8/17/2018	8/16/2018	9/27/2018
O Home Care	Accredited	8/18/2018	8/17/2018	9/25/2018
Laboratory	Accredited	2/15/2019	3/12/2021	3/12/2021

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Pathology and Clinical Laboratory

Critical Access Hospital

Hospice Agency

		Compared to other Joint Commission Accredited Organizations  Nationwide Statewide	
Critical Access Hospital	2018National Patient Safety Goals	Ø	<b>*</b>
Home Care	2018National Patient Safety Goals	Ø	<b>₩</b> *
Laboratory	2020National Patient Safety Goals	Ø	<b>№</b> *

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

Gopher Drive, Tomah, WI Org ID: 7709







# **Locations of Care**

Locations of Care	Available Services
Hospice Touch DBA: Hospice Touch 601 Straw Street Tomah, WI 54660	Services:      General Laboratory Tests     Hospice Care
Tomah Memorial Hospital * DBA: Tomah Health 501 Gopher Drive Tomah, WI 54660	Services:  Acute Care CT Scanner (Imaging/Diagnostic Services) Ear/Nose/Throat Surgery (Surgical Services) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) Gastroenterology (Surgical Coutpatient Clinics (Outpatient) Pediatric Otolaryngology (Outpatient - Child/Youth) Post Anesthesia Care Unit (PACU) (Inpatient) Siepe Laboratory (Sleep Laboratory) Swing Beds Teleradiology (Imaging/Diagnostic Services) Toxicology Trauma Center (Trauma Center) Ultrasound (Imaging/Diagnostic Services) Vascular Surgery (Surgical Services) Vascular Surgery (Surgical Services)
Warrens Walk-In Clinic DBA: Warrens Walk-In Clinic 101 Unity Warrens, WI 54666	Services:  • General Laboratory Tests • Urgent Care (Outpatient)

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

Org ID: 7709







# **2018 National Patient Safety Goals**

#### **Symbol Key**

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

#### **Critical Access Hospital**

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
	Preventing Multi-Drug Resistant Organism Infections	Ø
	Preventing Central-Line Associated Blood Stream Infections	Ø
	Preventing Surgical Site Infections	Ø
	Preventing Catheter-Associated Urinary Tract Infection	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

Org ID: 7709







# 2018 National Patient Safety Goals

#### **Symbol Key**

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

## Home Care

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the safety of using medications.	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
Reduce the risk of patient harm resulting from falls.	Implementing a Fall Reduction Program	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Risks Associated with Home Oxygen	Ø

DBA: Tomah Health, 501 Gopher Drive, Tomah, WI

Gopher Drive, Tomah, WI Org ID: 7709







# **2020 National Patient Safety Goals**

#### **Symbol Key**

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

#### Laboratory

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø