

# Accreditation Quality Report





Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.



# **Summary of Quality Information**

| Accreditation Programs | Accreditation Decision | Effective<br>Date | Last Full Survey<br>Date | y Last On-Site<br>Survey Date |
|------------------------|------------------------|-------------------|--------------------------|-------------------------------|
| 🮯 Hospital             | Accredited             | 1/23/2024         | 12/14/2021               | 1/22/2024                     |

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS) Hospital

|  |   | •              | Commission Accredited zations |
|--|---|----------------|-------------------------------|
|  |   | Nationwide     | Statewide                     |
| Hospital                                       | 2024National Patient Safety Goals             | Ø              | <b>*</b>                      |
|  | National Quality Improvement Goals:           |                |                               |
| Reporting<br>Period:<br>Jan 2022 -<br>Dec 2022 | Hospital-Based Inpatient Psychiatric Services | @ <sup>2</sup> | (m) <sup>2</sup>              |

#### Symbol Key



#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.10. Test Measure: a measure being
- evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **Locations of Care**

#### \* Primary Location

| Locations of Care  | Available Services   |
|--|--|
| Alliance Health Center,<br>Inc. *<br>DBA: Alliance Health<br>Center<br>5000 Highway 39 North<br>Meridian, MS 39301 | <ul> <li>Services:</li> <li>Addiction Services/Adult) (Non-detox - Adult)</li> <li>Behavioral Health (24-hour Acute Care/Crisis Stabilization - Adult/Child/Youth)</li> <li>Chemical Dependency (Day Programs - Adult) (24-hour Acute Care/Crisis Stabilization - Adult) (Partial Hospitalization - Adult) (Detox - Adult) (Non-detox - Adult)</li> <li>Family Support (Non 24 Hour Care)</li> <li>General Laboratory Tests</li> </ul> |



# **2024 National Patient Safety Goals**

### Hospital

| Osfata Osala   | Over a literation of the solid                          | luce la constante de |
|--|---|----------------------|
| Safety Goals   | Organizations Should                                    | Implemented          |
| Improve the accuracy of<br>patient identification.                                 | Use of Two Patient Identifiers                          | Ø                    |
| Improve the effectiveness of<br>communication among<br>caregivers.                 | Timely Reporting of Critical Tests and Critical Results | Ø                    |
| Improve the safety of using medications.   | Labeling Medications                                    | Ø                    |
|  | Reducing Harm from Anticoagulation Therapy              | $\bigcirc$           |
|  | Reconciling Medication Information                      | $\bigcirc$           |
| Reduce the harm<br>associated with clinical<br>alarm systems.                      | Use Alarms Safely on Medical Equipment                  | Ø                    |
| Reduce the risk of health care-associated infections.                              | Meeting Hand Hygiene Guidelines                         | Ø                    |
| The organization identifies<br>safety risks inherent in its<br>patient population. | Identifying Individuals at Risk for Suicide             | Ø                    |
| Universal Protocol   | Conducting a Pre-Procedure Verification Process         | $\bigotimes$         |
|  | Marking the Procedure Site                              | $\bigcirc$           |
|  | Performing a Time-Out                                   | $\bigcirc$           |

#### Symbol Key

The organization has met the National Patient Safety Goal.
 The organization has not met the National Patient Safety Goal.
 The Goal is not applicable for this organization.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | · · · · · · · · · · · · · · · · · · · | o other Joint<br>nission |
|---|---|---------------------------------------|--------------------------|
|   |   | Accredited Organizations              |                          |
| Measure Area  | Explanation   | Nationwide                            | Statewide                |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>2</b>                              | <b>∞</b> <sup>2</sup>    |

|   |  | Coi                                 | mpared to o<br>Accredit                | other Joint<br>ed Organiz |  | on               |
|---|--|-------------------------------------|--|---------------------------|--|------------------|
|   |  | 1                                   | lationwide                             | Ŭ                         | State                                  | ewide            |
| Measure   | Explanation  | Hospital<br>Results                 | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: |
| Assessment of violence risk,<br>substance use disorder,<br>trauma and patient strengths<br>completed - Overall Rate | This measure reports the overall<br>number of patients screened for<br>violence risk to self and others,<br>substance and alcohol use,<br>psychological trauma history and<br>patient strengths. Screening for<br>violence risk to self determines if<br>patients are likely to harm<br>themselves. Screening for violence<br>risk to others determines if patients<br>are likely to harm others. Screening<br>for substance and alcohol use<br>determines if patients need help for<br>their use. Screening for<br>psychological trauma history<br>determines if patients have<br>experienced terrible events in their<br>lives which have left them fearful or<br>anxious and unable to handle their<br>feelings. Screening for patient<br>strengths identifies positive things<br>such as family support, a steady job,<br>housing, etc. which are used to help<br>the patient recover. | 99% of<br>1098 eligible<br>Patients | 100%                                   | 95%                       | 100%                                   | 96%              |

This information can also be viewed at https://hospitalcompare.io/ -- Null value or data not displayed.

#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Join<br>Commission |                       |
|---|---|--------------------------------------|-----------------------|
|   |   | Accredited Organizations             |                       |
| Measure Area  | Explanation   | Nationwide                           | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>⊘</b> <sup>2</sup>                | <b>∞</b> <sup>2</sup> |

|   |   | Со                                  | mpared to o<br>Accredit                | other Joint<br>ed Organiz |  | on              |
|---|---|-------------------------------------|--|---------------------------|--|-----------------|
|   |   | ١                                   | lationwide                             |                           | State                                  | wide            |
| Measure   | Explanation   | Hospital<br>Results                 | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Averag<br>Rate: |
| Assessment of violence risk,<br>substance use disorder,<br>trauma and patient strengths<br>completed - Children (1-12<br>years) | This measure reports the number of<br>children age (1-12 years) screened<br>for violence risk to self and others,<br>substance and alcohol use,<br>psychological trauma history and<br>patient strengths. Screening for<br>violence risk to self determines if<br>patients are likely to harm<br>themselves. Screening for violence<br>risk to others determines if patients<br>are likely to harm others. Screening<br>for substance and alcohol use<br>determines if patients need help for<br>their use. Screening for<br>psychological trauma history<br>determines if patients have<br>experienced terrible events in their<br>lives which have left them fearful or<br>anxious and unable to handle their<br>feelings. Screening for patient<br>strengths identifies positive things<br>such as family support, a steady job,<br>housing, etc. which are used to help<br>the patient recover. | 100% of<br>100 eligible<br>Patients | 100%                                   | 97%                       |  | 3               |

This information can also be viewed at https://hospitalcompare.io/
 Null value or data not displayed.

### Symbol Key

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

1. The Measure or Measure Set was not reported.

- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joir<br>Commission |                       |  |
|---|---|--------------------------------------|-----------------------|--|
|   |   | Accredited Organization              |                       |  |
| Measure Area  | Explanation   | Nationwide                           | Statewide             |  |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>@</b> <sup>2</sup>                | <b>№</b> <sup>2</sup> |  |

|  |  | Co                                 | mpared to c<br>Accredit                | other Joint<br>ed Organiz |  | on               |
|--|--|------------------------------------|--|---------------------------|--|------------------|
|  |  | 1                                  | Vationwide                             |                           | State                                  | wide             |
| Measure  | Explanation  | Hospital<br>Results                | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: |
| Assessment of violence risk,<br>substance use disorder,<br>trauma and patient strengths<br>completed - Adolescent (13-17<br>years) | This measure reports the number of<br>adolescent age (13-17 years)<br>screened for violence risk to self and<br>others, substance and alcohol use,<br>psychological trauma history and<br>patient strengths. Screening for<br>violence risk to self determines if<br>patients are likely to harm<br>themselves. Screening for violence<br>risk to others determines if patients<br>are likely to harm others. Screening<br>for substance and alcohol use<br>determines if patients need help for<br>their use. Screening for<br>psychological trauma history<br>determines if patients have<br>experienced terrible events in their<br>lives which have left them fearful or<br>anxious and unable to handle their<br>feelings. Screening for patient<br>strengths identifies positive things<br>such as family support, a steady job,<br>housing, etc. which are used to help<br>the patient recover. | 99% of<br>267 eligible<br>Patients | 100%                                   | 96%                       |  | 3                |

This information can also be viewed at https://hospitalcompare.io/

### Symbol Key

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission |                       |
|---|---|---------------------------------------|-----------------------|
|   |   | Accredited Organizations              |                       |
| Measure Area  | Explanation   | Nationwide                            | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 <sup>2</sup>                        | <b>№</b> <sup>2</sup> |

|   |  | Co                                 | mpared to c<br>Accredit                | other Joint<br>ed Organiz |  | n               |
|---|--|------------------------------------|--|---------------------------|--|-----------------|
|   |  | 1                                  | Vationwide                             |                           | State                                  | wide            |
| Measure   | Explanation  | Hospital<br>Results                | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Averag<br>Rate: |
| Assessment of violence risk,<br>substance use disorder,<br>trauma and patient strengths<br>completed - Adult (18-64<br>years) | This measure reports the number of<br>adults age (18-64 years) screened<br>for violence risk to self and others,<br>substance and alcohol use,<br>psychological trauma history and<br>patient strengths. Screening for<br>violence risk to self determines if<br>patients are likely to harm<br>themselves. Screening for violence<br>risk to others determines if patients<br>are likely to harm others. Screening<br>for substance and alcohol use<br>determines if patients need help for<br>their use. Screening for<br>psychological trauma history<br>determines if patients have<br>experienced terrible events in their<br>lives which have left them fearful or<br>anxious and unable to handle their<br>feelings. Screening for patient<br>strengths identifies positive things<br>such as family support, a steady job,<br>housing, etc. which are used to help<br>the patient recover. | 99% of<br>525 eligible<br>Patients | 100%                                   | 94%                       | 100%                                   | 96%             |

\* This information can also be viewed at https://hospitalcompare.io/ Null value or data not displayed.

### Symbol Key

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

1. The Measure or Measure Set was not reported.

- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission |                       |
|---|---|---------------------------------------|-----------------------|
|   |   | Accredited Organizations              |                       |
| Measure Area  | Explanation   | Nationwide                            | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>™</b> <sup>2</sup>                 | <b>™</b> <sup>2</sup> |

|   |   | Col                                 | mpared to o<br>Accredit                | other Joint<br>ed Organiz |  | on              |
|---|---|-------------------------------------|--|---------------------------|--|-----------------|
|   |   | 1                                   | lationwide                             |                           | State                                  | wide            |
| Measure   | Explanation   | Hospital<br>Results                 | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Averag<br>Rate: |
| Assessment of violence risk,<br>substance use disorder,<br>trauma and patient strengths<br>completed - Older Adult (>= 65<br>years) | This measure reports the number of<br>older adult (>= 65 years) screened<br>for violence risk to self and others,<br>substance and alcohol use,<br>psychological trauma history and<br>patient strengths. Screening for<br>violence risk to self determines if<br>patients are likely to harm<br>themselves. Screening for violence<br>risk to others determines if patients<br>are likely to harm others. Screening<br>for substance and alcohol use<br>determines if patients need help for<br>their use. Screening for<br>psychological trauma history<br>determines if patients have<br>experienced terrible events in their<br>lives which have left them fearful or<br>anxious and unable to handle their<br>feelings. Screening for patient<br>strengths identifies positive things<br>such as family support, a steady job,<br>housing, etc. which are used to help<br>the patient recover. | 100% of<br>196 eligible<br>Patients | 100%                                   | 95%                       | 100%                                   | 96%             |

This information can also be viewed at https://hospitalcompare.io/ Null value or data not displayed.

### Symbol Key

This organization achieved the best ossible results This organization's performance is Ð better than the target range/value. This organization's performance is  $\oslash$ similar to the target range/value. This organization's performance is e worse than the target range/value. ot displayed ND

#### Footnote Key

1. The Measure or Measure Set was not reported.

- 2. The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.
- 12. The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Join<br>Commission |                       |
|---|---|--------------------------------------|-----------------------|
|   |   | Accredited Organizations             |                       |
| Measure Area  | Explanation   | Nationwide                           | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 <sup>2</sup>                       | <b>○</b> <sup>2</sup> |

|  |  | Co                                | mpared to c<br>Accredite               | other Joint<br>ed Organiz |  | n              |
|--|--|-----------------------------------|--|---------------------------|--|----------------|
|  |  | 1                                 | Vationwide                             | ou organiz                |  | wide           |
| Measure  | Explanation  | Hospital<br>Results               | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Averaç<br>Rate |
| Multiple Antipsychotic<br>Medications at Discharge with<br>Appropriate Justification<br>Overall Rate       | This is a proportion measure. A<br>proportion measure is a measure<br>which shows the number of<br>occurrences over the entire group<br>within which the occurrence should<br>take place. The numerator is<br>expressed as a subset of the<br>denominator. This measure reports<br>the overall number of patients<br>discharged on two or more<br>antipsychotic medications.<br>Antipsychotic medications are a<br>group of drugs used to treat<br>psychosis. Psychosis is a mental<br>illness that markedly interferes with a<br>persons capacity to meet lifes<br>everyday demands.  | 85% of<br>26 eligible<br>Patients | 100%                                   | 47%                       | 87%                                    | 72%            |
| Iultiple Antipsychotic<br>Iedications at Discharge with<br>ppropriate Justification<br>children Age 1 - 12 | This measure reports the number of<br>patients age 1 through 12 years<br>discharged on two or more<br>antipsychotic medications for which<br>there was an appropriate justification.<br>Antipsychotic medications are a<br>group of drugs used to treat<br>psychosis. Psychosis is a mental<br>illness that markedly interferes with a<br>person's capacity to meet life's<br>everyday demands. Appropriate<br>justifications include previous<br>attempts to control psychosis with<br>one antipsychotic medication, a plan<br>to reduce the number of<br>antipsychotic medication or the<br>addition of an antipsychotic<br>medication when the patient is also<br>being treated with Clozapine. | <mark>₩₽</mark> 3<br>             | 100%                                   | 21%                       |  | 3              |

This information can also be viewed at https://hospitalcompare.io/

### Symbol Key

| 0  | This organization achieved the best possible results                   |
|----|--|
| Ð  | This organization's performance is better than the target range/value. |
| Ø  | This organization's performance is similar to the target range/value.  |
|    | This organization's performance is worse than the target range/value.  |
| 80 | Not displayed  |

#### **Footnote Key**

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- 9. The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

© Copyright 2024, The Joint Commission



### **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission |                |  |
|---|---|---------------------------------------|----------------|--|
|   |   | Accredited Organizations              |                |  |
| Measure Area  | Explanation   | Nationwide                            | Statewide      |  |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>○</b> <sup>2</sup>                 | @ <sup>2</sup> |  |

|   |   | Col                 | mpared to o<br>Accredit                | other Joint<br>ed Organiz | on              |
|---|---|---------------------|--|---------------------------|-----------------|
|   |   | ١                   | lationwide                             |                           | ewide           |
| Measure   | Explanation   | Hospital<br>Results | Top<br>Perform<br>er<br>Threshol<br>d: |                           | Averag<br>Rate: |
| Multiple Antipsychotic<br>Medications at Discharge with<br>Appropriate Justification<br>Adolescents Age 13 - 17 | This measure reports the number of<br>patients age 13 through 17 years<br>discharged on two or more<br>antipsychotic medications for which<br>there was an appropriate justification.<br>Antipsychotic medications are a<br>group of drugs used to treat<br>psychosis. Psychosis is a mental<br>illness that markedly interferes with a<br>person's capacity to meet life's<br>everyday demands. Appropriate<br>justifications include previous<br>attempts to control psychosis with<br>one antipsychotic medication, a plan<br>to reduce the number of<br>antipsychotic medication or the<br>addition of an antipsychotic<br>medication when the patient is also<br>being treated with Clozapine. | <mark>₩</mark> 93   | 100%                                   | 24%                       | <br>3           |

This information can also be viewed at https://hospitalcompare.io/

---- Null value or data not displayed.

### Symbol Key

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



### **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission |                       |
|---|---|---------------------------------------|-----------------------|
|   |   | Accredited Organizations              |                       |
| Measure Area  | Explanation   | Nationwide                            | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 <sup>2</sup>                        | <b>™</b> <sup>2</sup> |

|  |  | Со                                | npared to o<br>Accredit                | other Joint<br>ed Organiz |     | n               |
|--|--|-----------------------------------|--|---------------------------|-----|-----------------|
|  |  | Ν                                 | lationwide                             |                           |     | wide            |
| Measure  | Explanation  | Hospital<br>Results               | Top<br>Perform<br>er<br>Threshol<br>d: |                           |     | Averag<br>Rate: |
| Multiple Antipsychotic<br>Medications at Discharge with<br>Appropriate Justification<br>Adults Age 18 - 64 | This measure reports the number of<br>patients age 18 through 64 years<br>discharged on two or more<br>antipsychotic medications for which<br>there was an appropriate justification.<br>Antipsychotic medications are a<br>group of drugs used to treat<br>psychosis. Psychosis is a mental<br>illness that markedly interferes with a<br>person's capacity to meet life's<br>everyday demands. Appropriate<br>justifications include previous<br>attempts to control psychosis with<br>one antipsychotic medication, a plan<br>to reduce the number of<br>antipsychotic medication the<br>addition of an antipsychotic<br>medication when the patient is also<br>being treated with Clozapine. | 86% of<br>22 eligible<br>Patients | 100%                                   | 50%                       | 87% | 75%             |

This information can also be viewed at https://hospitalcompare.io/

---- Null value or data not displayed.

### Symbol Key

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

- 1. The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- **11.** There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.

Symbol Key

ossible results

ot displayed

reported.

overall result.

Footnote Key

0

 $\oslash$ 

e

ND

2.

3.

4.

5.

8.

9.

11.

range.

valid.

sample of patients.

updated data. **10.** Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.

This organization achieved the best

This organization's performance is

better than the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is

orse than the target range/value.

The Measure or Measure Set was not

The Measure Set does not have an

The number of patients is not enough for comparison purposes.

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement.

The measure results are temporarily suppressed pending resubmission of

There were no eligible patients that met

the denominator criteria.12. The measure rate is within optimal

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

The measure meets the Privacy Disclosure Threshold rule. DBA: Alliance Health Center, 5000 Highway 39 North, Meridian, MS



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission<br>Accredited Organizations |                       |  |
|---|---|---|-----------------------|--|
| Measure Area  | Explanation   | Nationwide  | Statewide             |  |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>⊘</b> <sup>2</sup>   | <b>™</b> <sup>2</sup> |  |

|   |  | Co  | mpared to o<br>Accredit                | other Joint<br>ed Organiz |  | n                |
|---|--|---|--|---------------------------|--|------------------|
|   |  |   | Nationwide                             |                           | Statewide                              |                  |
| Measure   | Explanation  | Hospital<br>Results                       | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate:          | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: |
| Multiple Antipsychotic<br>Medications at Discharge with<br>Appropriate Justification Older<br>Adults Age 65 and Older | This measure reports the number of<br>patients age 65 and older discharged<br>on two or more antipsychotic<br>medications for which there was an<br>appropriate justification.<br>Antipsychotic medications are a<br>group of drugs used to treat<br>psychosis. Psychosis is a mental<br>illness that markedly interferes with a<br>person's capacity to meet life's<br>everyday demands. Appropriate<br>justifications include previous<br>attempts to control psychosis with<br>one antipsychotic medication, a plan<br>to reduce the number of<br>antipsychotic medication or the<br>addition of an antipsychotic<br>medication when the patient is also<br>being treated with Clozapine. | 75% of<br>4 eligible<br>Patients          | 100%                                   | 46%                       | 100%                                   | 48%              |
| Hours of Physical Restraint<br>Use per 1000 Patient Hours -<br>Overall Rate   | This measure reports the total hours<br>patients were kept in physical<br>restraints for every 1,000 hours of<br>patient care. Physical restraint is any<br>manual method or physical or<br>mechanical device, material, or<br>equipment that immobilizes or<br>reduces the ability of a patient to<br>move his or her arms, legs, body or<br>head freely when it is used as a<br>restriction to manage a patient's<br>behavior or restrict the patient's<br>freedom of movement and is not a<br>standard treatment for the patient's<br>medical or psychiatric condition.   | 0.0097<br>(7 Total Hours<br>in Restraint) | N/A                                    | 0.5767                    | N/A                                    | 0.4996           |

This information can also be viewed at https://hospitalcompare.io/

---- Null value or data not displayed.




# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Join<br>Commission |                |
|---|---|--------------------------------------|----------------|
|   |   | Accredited Organizations             |                |
| Measure Area  | Explanation   | Nationwide                           | Statewide      |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>1</b> 2                           | @ <sup>2</sup> |

|  |   | Compared to other Joint Commission<br>Accredited Organizations |  |                  |   |                          |
|--|---|--|--|------------------|---|--------------------------|
| Measure  | Explanation   | Hospital<br>Results  | Nationwide<br>Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: | State<br>Top<br>Perform<br>er<br>Threshol<br>d: | ewide<br>Averag<br>Rate: |
| Hours of Physical Restraint<br>Use Children Age 1 - 12     | This measure reports the number of<br>hours patients age 1 through 12<br>years were kept in physical restraints<br>for every 1,000 hours of patient care.<br>Physical restraint is any manual<br>method or physical or mechanical<br>device, material, or equipment that<br>immobilizes or reduces the ability of<br>a patient to move his or her arms,<br>legs, body or head freely when it is<br>used as a restriction to manage a<br>patient's behavior or restrict the<br>patient's freedom of movement and<br>is not a standard treatment for the<br>patient's medical or psychiatric<br>condition.  | 0.0389<br>(1 Total Hours<br>in Restraint) <sup>3</sup>         | N/A  | 0.3845           |   | 3                        |
| Hours of Physical Restraint<br>Use Adolescents Age 13 - 17 | This measure reports the number of<br>hours patients age 13 through 17<br>years were kept in physical restraints<br>for every 1,000 hours of patient care.<br>Physical restraint is any manual<br>method or physical or mechanical<br>device, material, or equipment that<br>immobilizes or reduces the ability of<br>a patient to move his or her arms,<br>legs, body or head freely when it is<br>used as a restriction to manage a<br>patient's behavior or restrict the<br>patient's freedom of movement and<br>is not a standard treatment for the<br>patient's medical or psychiatric<br>condition. | 0.0137<br>(2 Total Hours<br>in Restraint)                      | N/A  | 0.3412           |   | 3                        |

\* This information can also be viewed at https://hospitalcompare.io/



#### **Footnote Key**

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission<br>Accredited Organizations |                       |
|---|---|---|-----------------------|
|   |   |   |                       |
| Measure Area  | Explanation   | Nationwide  | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | @ <sup>2</sup>  | <b>™</b> <sup>2</sup> |

|   |   | Со  | Compared to other Joint Commission<br>Accredited Organizations |                  |  |                 |  |
|---|---|---|--|------------------|--|-----------------|--|
|   |   | Ν   | lationwide   | ou organiz       |  | wide            |  |
| Measure   | Explanation   | Hospital<br>Results                       | Top<br>Perform<br>er<br>Threshol<br>d:                         | Average<br>Rate: | Top<br>Perform<br>er<br>Threshol<br>d: | Averag<br>Rate: |  |
| Hours of Physical Restraint<br>Use Adults Age 18 - 64               | This measure reports the number of<br>hours patients age 18 through 64<br>years were kept in physical restraints<br>for every 1,000 hours of patient care.<br>Physical restraint is any manual<br>method or physical or mechanical<br>device, material, or equipment that<br>immobilizes or reduces the ability of<br>a patient to move his or her arms,<br>legs, body or head freely when it is<br>used as a restriction to manage a<br>patient's behavior or restrict the<br>patient's freedom of movement and<br>is not a standard treatment for the<br>patient's medical or psychiatric<br>condition. | 0.0077<br>(4 Total Hours<br>in Restraint) | N/A  | 0.6823           | N/A                                    | 0.4055          |  |
| Hours of Physical Restraint<br>Use Older Adults Age 65 and<br>Older | This measure reports the number of<br>hours patients age 65 and older were<br>kept in physical restraints for every<br>1,000 hours of patient care. Physical<br>restraint is any manual method or<br>physical or mechanical device,<br>material, or equipment that<br>immobilizes or reduces the ability of<br>a patient to move his or her arms,<br>legs, body or head freely when it is<br>used as a restriction to manage a<br>patient's behavior or restrict the<br>patient's freedom of movement and<br>is not a standard treatment for the<br>patient's medical or psychiatric<br>condition.        | 0.0049<br>(0 Total Hours<br>in Restraint) | N/A  | 0.1097           | N/A                                    | 1.731           |  |

\* This information can also be viewed at https://hospitalcompare.io/ ---- Null value or data not displayed.

This organization achieved the best possible results
 This organization's performance is better than the target range/value.
 This organization's performance is similar to the target range/value.
 This organization's performance is worse than the target range/value.
 Not displayed

#### **Footnote Key**

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- **9.** The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.

Symbol Kev

possible results

ot displayed

Footnote Key

0

 $\oslash$ 

e

ND

1.

2.

3.

4.

5.

8.

9.

11.

range.

valid. 7. The N

sample of patients.

updated data. **10.** Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.

reported.

overall result.

This organization achieved the best

This organization's performance is

better than the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is

orse than the target range/value.

The Measure or Measure Set was not

The number of patients is not enough for comparison purposes.

The organization scored above 90% but was below most other organizations. The Measure results are not statistically

The Measure results are based on a

The number of months with Measure data is below the reporting requirement.

The measure results are temporarily suppressed pending resubmission of

There were no eligible patients that met

the denominator criteria.12. The measure rate is within optimal

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

The measure meets the Privacy Disclosure Threshold rule.

The Measure Set does not have an

DBA: Alliance Health Center, 5000 Highway 39 North, Meridian, MS



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission<br>Accredited Organizations |                       |
|---|---|---|-----------------------|
|   |   |   |                       |
| Measure Area  | Explanation   | Nationwide  | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 <sup>2</sup>  | <b>™</b> <sup>2</sup> |

|  |   | Cor   | ompared to other Joint Commission<br>Accredited Organizations |                  |  |                 |
|--|---|---|---|------------------|--|-----------------|
|  |   | N   | lationwide  | ou organiz       |  | wide            |
| Measure  | Explanation   | Hospital<br>Results                                     | Top<br>Perform<br>er<br>Threshol<br>d:                        | Average<br>Rate: | Top<br>Perform<br>er<br>Threshol<br>d: | Averag<br>Rate: |
| Hours of Seclusion Use per<br>1000 Patient Hours - Overall<br>Rate | This measure reports the total hours<br>patients were kept in seclusion for<br>every 1,000 hours of patient care.<br>Seclusion is the involuntary<br>confinement of a patient alone in a<br>room or an area where the patient is<br>physically prevented from leaving.                                | 0.2050<br>(153 Total<br>Hours in<br>Seclusion)          | N/A   | 0.3738           | N/A                                    | 0.2567          |
| Hours of Seclusion Use<br>Children Age 1 - 12                      | This measure reports the number of<br>hours patients age 1 through 12<br>years were kept in seclusion for<br>every 1,000 hours of patient care.<br>Seclusion is the involuntary<br>confinement of a patient alone in a<br>room or an area where the patient is<br>physically prevented from leaving.  | 0.7860<br>(18 Total Hours<br>in Seclusion) <sup>3</sup> | N/A   | 0.4111           |  | 3               |
| Hours of Seclusion Use<br>Adolescents Age 13 - 17                  | This measure reports the number of<br>hours patients age 13 through 17<br>years were kept in seclusion for<br>every 1,000 hours of patient care.<br>Seclusion is the involuntary<br>confinement of a patient alone in a<br>room or an area where the patient is<br>physically prevented from leaving. | 0.3420<br>(54 Total Hours<br>in Seclusion)              | N/A   | 0.1738           |  | 3               |
| Hours of Seclusion Use Adults<br>Age 18 - 64                       | This measure reports the number of<br>hours patients age 18 through 64<br>years were kept in seclusion for<br>every 1,000 hours of patient care.<br>Seclusion is the involuntary<br>confinement of a patient alone in a<br>room or an area where the patient is<br>physically prevented from leaving. | 0.1518<br>(77 Total Hours<br>in Seclusion)              | N/A   | 0.4421           | N/A                                    | 0.265           |

This information can also be viewed at https://hospitalcompare.io/

---- Null value or data not displayed.



# **National Quality Improvement Goals**

### Reporting Period: January 2022 - December 2022

|   |   | Compared to other Joint<br>Commission<br>Accredited Organizations |                       |
|---|---|---|-----------------------|
|   |   |   |                       |
| Measure Area  | Explanation   | Nationwide  | Statewide             |
| Hospital-Based<br>Inpatient Psychiatric<br>Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | <b>2</b>  | <b>∞</b> <sup>2</sup> |

|   |  | Compared to other Joint C<br>Accredited Organiza |  |                  |  |                  |  |
|---|--|--|--|------------------|--|------------------|--|
|   |  | ١  | Vationwide                             |                  | State                                  | wide             |  |
| Measure Explanation                                     |  | Hospital<br>Results                              | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: | Top<br>Perform<br>er<br>Threshol<br>d: | Average<br>Rate: |  |
| Hours of Seclusion Use Older<br>Adults Age 65 and Older | This measure reports the number of<br>hours patients age 65 and older were<br>kept in seclusion for every 1,000<br>hours of patient care. Seclusion is<br>the involuntary confinement of a<br>patient alone in a room or an area<br>where the patient is physically<br>prevented from leaving. | 0.0688<br>(4 Total Hours<br>in Seclusion)        | N/A                                    | 0.0766           | N/A                                    | 0.2409           |  |

This information can also be viewed at https://hospitalcompare.io/ --- Null value or data not displayed.

- Symbol Key
- This organization achieved the best possible results
   This organization's performance is better than the target range/value.
   This organization's performance is similar to the target range/value.
   This organization's performance is worse than the target range/value.
- Not displayed

#### **Footnote Key**

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- **3.** The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 5. The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.
- **12.** The measure rate is within optimal range.