



Accreditation Quality Report





Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals - safety guidelines that target the prevention of medical errors such as surgery on the wrong side of the body and safe medication use.
- National Quality Improvement Goals - measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.



Summary of Quality Information



Symbol Key

-  This organization achieved the best possible results.
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  This Measure is not applicable for this organization.
-  Not displayed

Footnote Key


1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.


For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

| Accreditation Programs | Accreditation Decision | Effective Date | Last Full Survey Date | Last On-Site Survey Date |
|---|------------------------|----------------|-----------------------|--------------------------|
|  Ambulatory Care | Accredited | 10/12/2019 | 10/11/2019 | 10/11/2019 |
|  Hospital | Accredited | 3/13/2021 | 10/11/2019 | 3/12/2021 |

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS)

Hospital

| Advanced Certification Programs | Certification Decision | Effective Date | Last Full Review Date | Last On-Site Review Date |
|---|------------------------|----------------|-----------------------|--------------------------|
|  Primary Stroke Center | Certification | 4/7/2021 | 4/6/2021 | 4/6/2021 |

| Certified Programs | Certification Decision | Effective Date | Last Full Review Date | Last On-Site Review Date |
|--|------------------------|----------------|-----------------------|--------------------------|
|  Asthma, Pediatrics | Certification | 2/15/2020 | 2/14/2020 | 2/14/2020 |

Other Accredited Programs/Services

- Hospital (Accredited by American College of Surgeons-Commission on Cancer (ACoS-COC))

| | | Compared to other Joint Commission Accredited Organizations | |
|--|---|--|--|
| | | Nationwide | Statewide |
| Ambulatory Care | 2019National Patient Safety Goals |  |  * |
| Hospital | 2021National Patient Safety Goals |  |  * |
| National Quality Improvement Goals: | | | |
| Reporting Period: Jan 2019 - Dec 2019 | Emergency Department |  ² |  ² |
| | Hospital-Based Inpatient Psychiatric Services |  ² |  ² |
| | Perinatal Care |  ² |  ² |



The Joint Commission only reports measures endorsed by the National Quality Forum.



Locations of Care

* Primary Location

| Locations of Care | Available Services |
|---|---|
| County of Los Angeles Auditor Controller * DBA: LAC+USC Medical Center 1200 North State Street, IPT C2K100 Los Angeles, CA 90033 | Joint Commission Advanced Certification Programs: <ul style="list-style-type: none"> Primary Stroke Center Joint Commission Certified Programs: <ul style="list-style-type: none"> Asthma, Pediatrics Services: <ul style="list-style-type: none"> Allergen Extract (Inpatient) Behavioral Health (Non 24 Hour Care - Adult/Child/Youth) Brachytherapy (Imaging/Diagnostic Services) Burn Unit (Inpatient) Cardiac Catheterization Lab (Surgical Services) Cardiac Surgery (Surgical Services) Cardiothoracic Surgery (Surgical Services) Cardiovascular Unit (Inpatient) Community Integration (Non 24 Hour Care) Coronary Care Unit (Inpatient) CT Scanner (Imaging/Diagnostic Services) Ear/Nose/Throat Surgery (Surgical Services) Eating Disorders (Outpatient) EEG/EKG/EMG Lab (Imaging/Diagnostic Services) Family Support (Non 24 Hour Care) Gastroenterology (Surgical Services) GI or Endoscopy Lab (Imaging/Diagnostic Services) Gynecological Surgery (Surgical Services) Gynecology (Inpatient) Hazardous Medication Compounding (Inpatient) Hematology/Oncology Unit (Inpatient) Inpatient Unit (Inpatient) Interventional Radiology (Inpatient, Outpatient, Imaging/Diagnostic Services) Labor & Delivery (Inpatient) Ophthalmology (Surgical Services) Orthopedic Surgery (Surgical Services) Orthopedic/Spine Unit (Inpatient) Outpatient Clinics (Outpatient) Pediatric Cardiology (Inpatient - Child/Youth) Pediatric Cardiothoracic Surgery (Inpatient - Child/Youth) Pediatric Dentistry (Outpatient - Child/Youth) Pediatric Dermatology (Inpatient - Child/Youth) Pediatric Emergency Medicine (Outpatient - Child/Youth) Pediatric Endocrinology (Inpatient - Child/Youth) Pediatric Gastroenterology (Inpatient - Child/Youth) Pediatric General Surgery (Inpatient - Child/Youth) Pediatric Nephrology (Inpatient - Child/Youth) Pediatric Neurosurgery (Inpatient - Child/Youth) Pediatric Ophthalmology (Inpatient - Child/Youth) Pediatric Oral/Maxofacial Surgery (Inpatient - Child/Youth) Pediatric Otolaryngology (Inpatient - Child/Youth) Pediatric Plastic Surgery (Inpatient - Child/Youth) Pediatric Unit (Inpatient) |






Locations of Care

| * Primary Location | | |
|--|---|---|
| Locations of Care | Available Services | |
| | <ul style="list-style-type: none">• Magnetic Resonance Imaging (Imaging/Diagnostic Services)• Mammography• Medical /Surgical Unit (Inpatient)• Medical ICU (Intensive Care Unit)• Neuro/Spine ICU (Intensive Care Unit)• Neuro/Spine Unit (Inpatient)• Neurosurgery (Surgical Services)• Non-Sterile Medication Compounding (Inpatient)• Normal Newborn Nursery (Inpatient)• Nuclear Medicine (Imaging/Diagnostic Services)• Nuclear Pharmacy (Inpatient) | <ul style="list-style-type: none">• Pediatric Urology (Inpatient - Child/Youth) (Outpatient - Child/Youth)• Plastic Surgery (Surgical Services)• Positron Emission Tomography (PET) (Imaging/Diagnostic Services)• Post Anesthesia Care Unit (PACU) (Inpatient)• Radiation Oncology (Imaging/Diagnostic Services)• Sleep Laboratory (Sleep Laboratory)• Sleep Studies (Outpatient)• Sterile Medication Compounding (Inpatient)• Surgical ICU (Intensive Care Unit)• Surgical Unit (Inpatient)• Teleradiology (Imaging/Diagnostic Services)• Thoracic Surgery (Surgical Services)• Ultrasound (Imaging/Diagnostic Services)• Urology (Surgical Services)• Vascular Surgery (Surgical Services) |
| County of Los Angeles Auditor Controller DBA: LAC+USC Medical Center - Hawkins 1720 E. 120th St. Los Angeles, CA 90059 | Services: <ul style="list-style-type: none">• Behavioral Health (24-hour Acute Care/Crisis Stabilization - Adult/Child/Youth)• Community Integration (Non 24 Hour Care)• Family Support (Non 24 Hour Care) | |













2019 National Patient Safety Goals

Symbol Key

-  The organization has met the National Patient Safety Goal.
-  The organization has not met the National Patient Safety Goal.
-  The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."




Ambulatory Care

| Safety Goals | Organizations Should | Implemented |
|--|---|--|
| Improve the accuracy of patient identification. | Use of Two Patient Identifiers |  |
| | Eliminating Transfusion Errors |  |
| Improve the safety of using medications. | Labeling Medications |  |
| | Reducing Harm from Anticoagulation Therapy |  |
| | Reconciling Medication Information |  |
| Reduce the risk of health care-associated infections | Meeting Hand Hygiene Guidelines |  |
| | Preventing Surgical Site Infections |  |
| Universal Protocol | Conducting a Pre-Procedure Verification Process |  |
| | Marking the Procedure Site |  |
| | Performing a Time-Out |  |



2021 National Patient Safety Goals

Symbol Key

-  The organization has met the National Patient Safety Goal.
-  The organization has not met the National Patient Safety Goal.
-  The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

Hospital

| Safety Goals | Organizations Should | Implemented |
|--|---|---|
| Improve the accuracy of patient identification. | Use of Two Patient Identifiers |  |
| Improve the effectiveness of communication among caregivers. | Timely Reporting of Critical Tests and Critical Results |  |
| Improve the safety of using medications. | Labeling Medications |  |
| | Reducing Harm from Anticoagulation Therapy |  |
| | Reconciling Medication Information |  |
| Reduce the harm associated with clinical alarm systems. | Use Alarms Safely on Medical Equipment |  |
| Reduce the risk of health care-associated infections. | Meeting Hand Hygiene Guidelines |  |
| The organization identifies safety risks inherent in its patient population. | Identifying Individuals at Risk for Suicide |  |
| Universal Protocol | Conducting a Pre-Procedure Verification Process |  |
| | Marking the Procedure Site |  |
| | Performing a Time-Out |  |



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|----------------------|---|--------------|--------------|
| Emergency Department | This category of evidence based measures assesses the time patients remain in the hospital Emergency Department prior to inpatient admission. | ² | ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Hospital Results | Statewide | | | |
|--|---|---|-------------------------|------------------|-------------------------|------------------|
| | | | Top 10% Scored at Most: | Weighted Median: | Top 10% Scored at Most: | Weighted Median: |
| Admit Decision Time to ED Departure Time for Admitted Patients | The amount of time (in minutes) it takes from the time the physician decides to admit a patient into the hospital from the Emergency Department until the patient actually leaves the ED to go to the inpatient unit. | ² 301.00 minutes 588 eligible Patients | 55.00 | 133.00 | 75.73 | 180.51 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.






For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed


Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--|--|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. |  ² |  ² |

Compared to other Joint Commission Accredited Organizations

| Measure | Explanation | Hospital Results | Compared to other Joint Commission Accredited Organizations | | | |
|--|---|---|---|---------------|--------------------------|---------------|
| | | | Nationwide | | Statewide | |
| | | | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate | This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. |  98% of 343 eligible Patients | 100% | 95% | 100% | 95% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019



Symbol Key

-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed


Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--|--|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. |  ² |  ² |

Compared to other Joint Commission Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|---|--|---|--------------------------|---------------|--------------------------|---------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years) | This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. |  100% of 16 eligible Patients | 100% | 96% | 100% | 99% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.






For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key



-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed

Footnote Key


1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--|--|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. |  ² |  ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|---|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years) | This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. |  98% of 136 eligible Patients | 100% | 96% | 100% | 99% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed


Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--|--|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. |  ² |  ² |

Compared to other Joint Commission Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|---|---|---|--------------------------|---------------|--------------------------|---------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years) | This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. |  99% of 157 eligible Patients | 100% | 95% | 100% | 94% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.






For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019



Symbol Key

-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed


Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--|--|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. |  ² |  ² |

Compared to other Joint Commission Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|--|--------------------------|---------------|--------------------------|---------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (≥ 65 years) | This measure reports the number of older adult (≥ 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover. |  97% of 34 eligible Patients | 100% | 95% | 100% | 97% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|------------|-----------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 | 2 |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | | | | | |
|---|---|--------------------------------------|--------------------------------|------------------|--------------------------------|-------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate | This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. | 83% of 6 eligible Patients | 100% | 63% | 97% | 52% |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12 | This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | 3 ---- | 100% | 47% | ---- ³ | ---- ³ |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--------------|--------------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ² | ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|---|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17 | This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | ³ ---- | 100% | 48% | 100% | 52% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--------------|--------------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ² | ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|--|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64 | This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | 83% of 6 eligible Patients | 100% | 65% | 98% | 52% |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|------------|-----------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 | 2 |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|---|---|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older | This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medications to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine. | 3 ---- | 100% | 56% | 100% | 50% |
| Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate | This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 7.58 (3563 Total Hours in Restraint) | N/A | 0.48 | N/A | 1.13 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--------------|--------------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ² | ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|--|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Hours of Physical Restraint Use Children Age 1 - 12 | This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | ³ 27.24 (143 Total Hours in Restraint) ³ | N/A | 0.40 | N/A | 0.48 |
| Hours of Physical Restraint Use Adolescents Age 13 - 17 | This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 7.84 (481 Total Hours in Restraint) | N/A | 0.29 | N/A | 0.35 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|------------|-----------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | 2 | 2 |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|---|--|--|--------------------------------|------------------|--------------------------------|------------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Hours of Physical Restraint Use Adults Age 18 - 64 | This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 8.22 (2899 Total Hours in Restraint) | N/A | 0.56 | N/A | 1.31 |
| Hours of Physical Restraint Use Older Adults Age 65 and Older | This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition. | 0.79 (40 Total Hours in Restraint) | N/A | 0.09 | N/A | 0.12 |
| Hours of Seclusion Use per 1000 Patient Hours - Overall Rate | This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 7.53 (3542 Total Hours in Seclusion) | N/A | 0.40 | N/A | 0.55 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint
Commission

Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|---|---|--------------|--------------|
| Hospital-Based Inpatient Psychiatric Services | This category of evidenced based measures assesses the overall quality of care given to psychiatric patients. | ² | ² |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Hospital Results | Compared to other Joint Commission Accredited Organizations | | | |
|---|--|--|--|------------------|-----------|------------------|
| | | | Nationwide | Average Rate: | Statewide | Average Rate: |
| Hours of Seclusion Use Children Age 1 - 12 | This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | ³ 1.96 (10 Total Hours in Seclusion) ³ | N/A | 0.69 | N/A | 0.12 |
| Hours of Seclusion Use Adolescents Age 13 - 17 | This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 0.69 (42 Total Hours in Seclusion) | N/A | 0.21 | N/A | 0.22 |
| Hours of Seclusion Use Adults Age 18 - 64 | This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 7.60 (2683 Total Hours in Seclusion) | N/A | 0.45 | N/A | 0.62 |
| Hours of Seclusion Use Older Adults Age 65 and Older | This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving. | 15.90 (807 Total Hours in Seclusion) | N/A | 0.08 | N/A | 0.21 |



The Joint Commission only reports measures endorsed by the National Quality Forum.

* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

For further information
and explanation of the
Quality Report contents,
refer to the "Quality
Report User Guide."



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission
Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|----------------|--|------------|-----------|
| Perinatal Care | This category of evidenced based measures assesses the care of mothers and newborns. | 2 | 2 |

Compared to other Joint Commission
Accredited Organizations

| Measure | Explanation | Hospital Results | Compared to other Joint Commission Accredited Organizations | | | |
|---|---|--|---|---------|--------------------------|---------|
| | | | Nationwide | Average | Statewide | Average |
| | | | Top 10% Scored at Least: | Rate: | Top 10% Scored at Least: | Rate: |
| Antenatal Steroids | This measure reports the overall number of mothers who were at risk of preterm delivery at 24-32 weeks gestation receiving antenatal steroids prior to delivering preterm newborns. Antenatal steroids are steroids given before birth. | 100% of 11 eligible Patients | 100% | 98% | 100% | 99% |
| Cesarean Birth | This measure reports the number of first-time moms with a full-term, single baby in a head-down position who delivered the baby by cesarean section. | --- | 12% | 25% | 12% | 22% |
| Elective Delivery | This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section. | 0% of 19 eligible Patients | 0% | 2% | 0% | 2% |
| Exclusive Breast Milk Feeding | This measure reports the overall number of newborns who are exclusively breast milk fed during the newborns entire hospitalization. Exclusive breast milk feeding is when a newborn receives only breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines. | 70% of 163 eligible Patients | 73% | 51% | 81% | 62% |
| Unexpected Complications in Term Newborns per 1000 livebirths - Moderate Rate | The moderate rate equals the number of patients with moderate complications. | 10 3269.00 minutes 734 eligible Patients | | | | |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.



National Quality Improvement Goals

Reporting Period: January 2019 - December 2019

Symbol Key

-  This organization achieved the best possible results
-  This organization's performance is above the target range/value.
-  This organization's performance is similar to the target range/value.
-  This organization's performance is below the target range/value.
-  Not displayed



Footnote Key

1. The Measure or Measure Set was not reported.
2. The Measure Set does not have an overall result.
3. The number of patients is not enough for comparison purposes.
4. The measure meets the Privacy Disclosure Threshold rule.
5. The organization scored above 90% but was below most other organizations.
6. The Measure results are not statistically valid.
7. The Measure results are based on a sample of patients.
8. The number of months with Measure data is below the reporting requirement.
9. The measure results are temporarily suppressed pending resubmission of updated data.
10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
11. There were no eligible patients that met the denominator criteria.

Compared to other Joint Commission Accredited Organizations

| Measure Area | Explanation | Nationwide | Statewide |
|----------------|--|---|---|
| Perinatal Care | This category of evidenced based measures assesses the care of mothers and newborns. |  2 |  2 |

Compared to other Joint Commission Accredited Organizations

| Measure | Explanation | Compared to other Joint Commission Accredited Organizations | | | | |
|--|---|--|--------------------------|---------------|--------------------------|---------------|
| | | Hospital Results | Top 10% Scored at Least: | Average Rate: | Top 10% Scored at Least: | Average Rate: |
| Unexpected Complications in Term Newborns per 1000 livebirths - Overall Rate | This measure looks at the number of full-term single babies with a normal birth weight and with no preexisting conditions, these are babies that are expected to do well and routinely go home with the mother. |  10 5449.00 minutes 734 eligible Patients | | | | |
| Unexpected Complications in Term Newborns per 1000 livebirths - Severe Rate | The severe rate equals the number of patients with severe complications. |  10 2179.00 minutes 734 eligible Patients | | | | |



The Joint Commission only reports measures endorsed by the National Quality Forum.

- * This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."