

# Accreditation Quality Report





Version: 5 Date: 11/22/2022 County of Los Angeles

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA

Welcome to the Joint Commission's Quality Report. We know how important reliable information is to you and your family when making health care decisions. This Quality Report will help you make the right decisions to meet your needs. Since 1951, the Joint Commission has been the national leader in setting standards for health care organizations. When a health care organization seeks accreditation, it demonstrates commitment to giving safe, high quality health care and to continually working to improve that care.

The Quality Report is only one way to determine whether a health care organization can meet your needs. Discuss this report with your doctor or with other professional acquaintances before making a care decision. In addition to the accreditation status of the organization, the Quality Report uses checks, pluses, and minuses in each of the following key areas to help you compare a health care organization with similar accredited organizations.

- National Patient Safety Goals safety guidelines that target the
  prevention of medical errors such as surgery on the wrong side of
  the body and safe medication use.
- National Quality Improvement Goals measures the care of patients with specific conditions such as heart failure or pregnancy.

Not all measures are relevant to or available for all types of health care organizations. The Joint Commission will add relevant measures of health care quality as more measures become available. Your comments are just as important to us. The content and format of the Quality Report will be updated from time to time based on changes in the health care industry and your suggestions. Please call Customer Service at 630-792-5800 or e-mail the Joint Commission at qualityreport@jointcommission.org with your comments and suggestions.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA







## **Summary of Quality Information**

Accreditation Programs	<b>Accreditation Decision</b>	Effective Date	Last Full Survey Date	Last On-Site Survey Date
Ambulatory Care	Accredited	10/12/2019	10/11/2019	10/11/2019
Hospital	Accredited	7/10/2021	10/11/2019	7/9/2021

Accreditation programs recognized by the Centers for Medicare and Medicaid Services (CMS) Hospital

<b>Advanced Certification</b>	<b>Certification Decision</b>	Effective	<b>Last Full Review Last On-Site</b>		
Programs		Date	Date	<b>Review Date</b>	
Primary Stroke Center	Certification	4/7/2021	4/6/2021	4/6/2021	
Certified Programs	<b>Certification Decision</b>	<b>Effective</b>	Last Full Review	v Last On-Site	
		Date	Date	<b>Review Date</b>	
Asthma, Pediatrics	Certification	5/14/2022	5/13/2022	5/13/2022	

### **Other Accredited Programs/Services**

• Hospital ( Accredited by American College of Surgeons-Commission on Cancer (ACoS-COC))

		Compared to other Joint Commission Accredited Organizations		
		Nationwide	Statewide	
Ambulatory Care	2019National Patient Safety Goals	Ø	<b>₩</b>	
Hospital	2021National Patient Safety Goals	Ø	*	
	National Quality Improvement Goals:			
Reporting Period:	Hospital-Based Inpatient Psychiatric Services	<b>№</b> <sup>2</sup>	<b>(4)</b> 2	
Apr 2020 - Mar 2021	Perinatal Care	2	<b>№</b> 2	

The Joint Commission only reports measures endorsed by the National Quality Forum.

### Symbol Key

- This organization achieved the best oossible results.
- Φ This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- This Measure is not applicable for this rganization.
- Not displayed

#### Footnote Key

- 1. The Measure or Measure Set was not
- The Measure Set does not have an overall result.
- 3. The number of patients is not enough for comparison purposes.
- 4. The measure meets the Privacy Disclosure Threshold rule.
- 5. The organization scored above 90% but was below most other organizations.
- 6. The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 11. There were no eligible patients that met the denominator criteria.

For further information and explanation of the **Quality Report contents,** refer to the "Quality Report User Guide."

Org ID: 9931









### **Locations of Care**

#### \* Primary Location

**County of Los** 

### Locations of Care

Angeles \*
DBA: LAC+USC Medical
Center
1200 North State Street,
IPT C2K100
Los Angeles, CA 90033

#### **Available Services**

#### **Joint Commission Advanced Certification Programs:**

• Primary Stroke Center

#### **Joint Commission Certified Programs:**

Asthma, Pediatrics

#### **Services:**

- Allergen Extract (Inpatient)
- Behavioral Health (Non 24 Hour Care -Adult/Child/Youth)
- Brachytherapy (Imaging/Diagnostic Services)
- Burn Unit (Inpatient)
- Cardiac Catheterization Lab (Surgical Services)
- Cardiac Surgery (Surgical Services)
- Cardiothoracic Surgery (Surgical Services)
- Cardiovascular Unit (Inpatient)
- Community Integration (Non 24 Hour Care)
- Coronary Care Unit (Inpatient)
- CT Scanner (Imaging/Diagnostic Services)
- Ear/Nose/Throat Surgery (Surgical Services)
- Eating Disorders (Outpatient)
- EEG/EKG/EMG Lab (Imaging/Diagnostic Services)
- Family Support (Non 24 Hour Care)
- Gastroenterology (Surgical Services)
- GI or Endoscopy Lab (Imaging/Diagnostic Services)
- Gynecological Surgery (Surgical Services)
- Gynecology (Inpatient)Hazardous Medication
- Compounding (Inpatient)Hematology/Oncology Unit
- Hematology/Oncology Uni (Inpatient)
- Inpatient Unit (Inpatient)
- Interventional Radiology (Inpatient, Outpatient, Imaging/Diagnostic Services)
- Labor & Delivery (Inpatient)

- Ophthalmology (Surgical Services)
- Orthopedic Surgery (Surgical Services)
- Orthopedic/Spine Unit (Inpatient)
- Outpatient Clinics (Outpatient)
- Pediatric Cardiology (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Cardiothoracic Surgery (Inpatient -Child/Youth)
- Pediatric Dentistry)
   (Outpatient Child/Youth)
- Pediatric Dermatology)
   (Inpatient Child/Youth)
   (Outpatient Child/Youth)
- Pediatric Emergency Medicine (Outpatient - Child/Youth)
- Pediatric Endocrinology (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Gastroenterology) (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric General Surgery) (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Nephrology)
   (Inpatient Child/Youth)
   (Outpatient Child/Youth)
- Pediatric Neurosurgery (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Ophthalmology (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Oral/Maxofacial Surgery (Inpatient -Child/Youth)
- (Outpatient Child/Youth)
  Pediatric Otolaryngology)
  (Inpatient Child/Youth)
  (Outpatient Child/Youth)
- Pediatric Plastic Surgery) (Inpatient - Child/Youth) (Outpatient - Child/Youth)
- Pediatric Unit (Inpatient)

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **Locations of Care**

Locations of Care	Available S	Services
	Magnetic Resonance Imaging (Imaging/Diagnostic Services)  Mammography Medical /Surgical Unit (Inpatient) Medical ICU (Intensive Care Unit) Neuro/Spine ICU (Intensive Care Unit) Neuro/Spine Unit (Inpatient) Neurosurgery (Surgical Services) Non-Sterile Medication Compounding (Inpatient) Normal Newborn Nursery (Inpatient) Nuclear Medicine (Imaging/Diagnostic Services) Nuclear Pharmacy (Inpatient)	<ul> <li>Pediatric Urology)         (Inpatient - Child/Youth)         (Outpatient - Child/Youth)</li> <li>Plastic Surgery (Surgical Services)</li> <li>Positron Emission Tomography (PET) (Imaging/Diagnostic Services)</li> <li>Post Anesthesia Care Unit (PACU) (Inpatient)</li> <li>Radiation Oncology (Imaging/Diagnostic Services)</li> <li>Sleep Laboratory (Sleep Laboratory)</li> <li>Sleep Studies (Outpatient)</li> <li>Sterile Medication Compounding (Inpatient)</li> <li>Surgical ICU (Intensive Care Unit)</li> <li>Surgical Unit (Inpatient)</li> <li>Teleradiology (Imaging/Diagnostic Services)</li> <li>Thoracic Surgery (Surgical Services)</li> <li>Ultrasound (Imaging/Diagnostic Services)</li> <li>Urology (Surgical Services)</li> <li>Vascular Surgery (Surgical Services)</li> </ul>
County of Los Angeles DBA: LAC+USC Medical Center - Hawkins 1720 E. 120th St. Los Angeles, CA 90059	Services:  • Behavioral Health (24-hour Acut Adult/Child/Youth)  • Community Integration (Non 24	

Org ID: 9931

DBA: LAC+USC Medical Center, 1200 North State Street. IPT C2K100, Los Angeles, CA







## **2019 National Patient Safety Goals**

### Symbol Key

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

### **Ambulatory Care**

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
	Eliminating Transfusion Errors	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the risk of health care-associated infections	Meeting Hand Hygiene Guidelines	Ø
	Preventing Surgical Site Infections	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø

Org ID: 9931

Org ID: 9931

DBA: LAC+USC Medical Center, 1200 North State Street. IPT C2K100, Los Angeles, CA







## **2021 National Patient Safety Goals**

#### **Symbol Key**

The organization has met the National Patient Safety Goal.

The organization has not met the National Patient Safety Goal.

The Goal is not applicable for this organization.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

## Hospital

Safety Goals	Organizations Should	Implemented
Improve the accuracy of patient identification.	Use of Two Patient Identifiers	Ø
Improve the effectiveness of communication among caregivers.	Timely Reporting of Critical Tests and Critical Results	Ø
Improve the safety of using medications.	Labeling Medications	Ø
	Reducing Harm from Anticoagulation Therapy	Ø
	Reconciling Medication Information	Ø
Reduce the harm associated with clinical alarm systems.	Use Alarms Safely on Medical Equipment	Ø
Reduce the risk of health care-associated infections.	Meeting Hand Hygiene Guidelines	Ø
The organization identifies safety risks inherent in its patient population.	Identifying Individuals at Risk for Suicide	Ø
Universal Protocol	Conducting a Pre-Procedure Verification Process	Ø
	Marking the Procedure Site	Ø
	Performing a Time-Out	Ø

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint

Measure Area Explanation	n Nationv	ride Statewide
Hospital-Based Inpatient Psychiatric Services  This category of evidenced based overall quality of care given to psy		) <sup>2</sup>

		Compared to other Joint Commission Accredited Organizations				n
		Nationwide Statew				wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Overall Rate	This measure reports the overall number of patients screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	97% of 273 eligible Patients	100%	96%	100%	96%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

### Footnote Key

Symbol Key

ossible results

lot displayed

Ø

This organization achieved the best

This organization's performance is above the target range/value. This organization's performance is

similar to the target range/value. This organization's performance is below the target range/value.

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **National Quality Improvement Goals**

#### Reporting Period: April 2020 - March 2021

Compared to other Joint Commission Accredited Organizations

		Соі	mpared to o	other Joint ed Organiz		on
		Nationwide			Statewide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Children (1-12 years)	This measure reports the number of children age (1-12 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	100% of 10 eligible Patients	100%	97%	100%	100%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- \* This information can also be viewed at www.hospitalcompare.hhs.gov
   Null value or data not displayed.

## Symbol Key This organization achie

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA










## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint Commission Accredited Organizations

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Hospital-Based Inpatient Psychiatric Services	This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.	© <sup>2</sup>	<b>©</b> ²

		Compared to other Joint Commission Accredited Organizations				n
		1	Nationwide	Ĭ	State	wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adolescent (13-17 years)	This measure reports the number of adolescent age (13-17 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	96% of 76 eligible Patients	100%	97%	100%	99%



\* This information can also be viewed at www.hospitalcompare.hhs.gov
 Null value or data not displayed.

## Symbol Key This organization achie

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 1. There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA










## **National Quality Improvement Goals**

#### Reporting Period: April 2020 - March 2021

Compared to other Joint Commission Accredited Organizations

		Compared to other Joint Commission Accredited Organizations				n
		Nationwide State			wide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Adult (18-64 years)	This measure reports the number of adults age (18-64 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	98% of 172 eligible Patients	100%	95%	100%	94%



\* This information can also be viewed at www.hospitalcompare.hhs.gov
 ---- Null value or data not displayed.

### Symbol Key This organization achie

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- 1. There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA










## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint Commission Accredited Organizations

Org ID: 9931

		Co	mpared to o	other Joint ed Organiz		on
		1	Nationwide			ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Assessment of violence risk, substance use disorder, trauma and patient strengths completed - Older Adult (>= 65 years)	This measure reports the number of older adult (>= 65 years) screened for violence risk to self and others, substance and alcohol use, psychological trauma history and patient strengths. Screening for violence risk to self determines if patients are likely to harm themselves. Screening for violence risk to others determines if patients are likely to harm others. Screening for substance and alcohol use determines if patients need help for their use. Screening for psychological trauma history determines if patients have experienced terrible events in their lives which have left them fearful or anxious and unable to handle their feelings. Screening for patient strengths identifies positive things such as family support, a steady job, housing, etc. which are used to help the patient recover.	87% of 15 eligible Patients	100%	95%	100%	97%



\* This information can also be viewed at www.hospitalcompare.hhs.gov
 Null value or data not displayed.

## Symbol Key This organization achie

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA



Compared to other Joint







## **National Quality Improvement Goals**

#### Reporting Period: April 2020 - March 2021

		Соі	npared to d			on
			Accredit Nationwide	ed Organiz		ewide
Measure	Explanation	Hospital		Average	Top 10%	
		Results	Scored	Rate:	Scored	Rate:
			at Least:		at Least:	
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Overall Rate	This is a proportion measure. A proportion measure is a measure which shows the number of occurrences over the entire group within which the occurrence should take place. The numerator is expressed as a subset of the denominator. This measure reports the overall number of patients discharged on two or more antipsychotic medications. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a persons capacity to meet lifes everyday demands.	58% of 12 eligible Patients	100%	59%	100%	63%
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Children Age 1 - 12	This measure reports the number of patients age 1 through 12 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication when the patient is also being treated with Clozapine.	<b>€</b> 3	100%	42%	3	3

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- \* This information can also be viewed at www.hospitalcompare.hhs.gov
- ---- Null value or data not displayed.

## Symbol Key This organization achi

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is
- below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint **Accredited Organizations** Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Cor	npared to o	other Joint ed Organiz		n
		١	lationwide		State	ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adolescents Age 13 - 17	This measure reports the number of patients age 13 through 17 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication or the addition when the patient is also being treated with Clozapine.	100% of 3 eligible Patients	100%	47%	100%	66%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

Symbol Kev

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **National Quality Improvement Goals**

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- 2. The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide." Reporting Period: April 2020 - March 2021

Compared to other Joint
Commission
Accredited Organizations

		Cor	npared to c Accredit	other Joint ed Organiz		on
		١	lationwide			wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Adults Age 18 - 64	This measure reports the number of patients age 18 through 64 years discharged on two or more antipsychotic medications for which there was an appropriate justification. Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication or the addition of an antipsychotic medication or the addition when the patient is also being treated with Clozapine.	44% of 9 eligible Patients	100%	60%	100%	61%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- \* This information can also be viewed at www.hospitalcompare.hhs.gov
- ---- Null value or data not displayed.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA









## **National Quality Improvement Goals**

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is
- below the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

For further information and explanation of the Quality Report contents, refer to the "Quality Report User Guide."

	K	eport	ıng F	eriod:	Aprıl	2020 -	- March	i 2021
--	---	-------	-------	--------	-------	--------	---------	--------

Compared to other Joint **Accredited Organizations** 

Measure Area Nationwide Statewide Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Cor	npared to c	other Joint ed Organiz		on
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	State Top 10% Scored at Least:	ewide Average Rate:
Multiple Antipsychotic Medications at Discharge with Appropriate Justification Older Adults Age 65 and Older	This measure reports the number of patients age 65 and older discharged on two or more antipsychotic medications for which there was an appropriate justification.  Antipsychotic medications are a group of drugs used to treat psychosis. Psychosis is a mental illness that markedly interferes with a person's capacity to meet life's everyday demands. Appropriate justifications include previous attempts to control psychosis with one antipsychotic medication, a plan to reduce the number of antipsychotic medication to one antipsychotic medication or the addition of an antipsychotic medication or the addition when the patient is also being treated with Clozapine.	<b>№</b> 03 ————	100%	55%	100%	72%
Hours of Physical Restraint Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	19.9255 (6984 Total Hours in Restraint)	N/A	0.8583	N/A	2.3303



The Joint Commission only reports measures endorsed by the National Quality Forum.

- This information can also be viewed at www.hospitalcompare.hhs.gov
- Null value or data not displayed.

DBA: LAC+USC Medical Center,

Measure Area

Services

Hospital-Based

Inpatient Psychiatric

1200 North State Street. IPT C2K100, Los Angeles, CA







## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint Commission

Accredited Organizations

Explanation

Nationwide

Statewide

This category of evidenced based measures assesses the overall quality of care given to psychiatric patients.

Org ID: 9931

		Соі	mpared to o	other Joint ed Organiz		on
		١	Nationwide			ewide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Physical Restraint Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	1.4234 (6 Total Hours in Restraint) <sup>3</sup>	N/A	0.3472	N/A	0.1767
Hours of Physical Restraint Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the	7.5994 (340 Total Hours in Restraint)	N/A	0.2485	N/A	0.4257

The Joint Commission only reports measures endorsed by the National Quality Forum.

patient's medical or psychiatric

\* This information can also be viewed at www.hospitalcompare.hhs.gov
 Null value or data not displayed.

condition.

This organization achieved the best possible results

Symbol Kev

- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- 7. The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA

Org ID: 9931

Compared to other Joint







## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

		Cor	npared to c	other Joint ed Organiz		on
		١	lationwide	ou Organiz		wide
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Hours of Physical Restraint Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	23.9797 (6636 Total Hours in Restraint)	N/A	1.0605	N/A	2.7249
Hours of Physical Restraint Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in physical restraints for every 1,000 hours of patient care. Physical restraint is any manual method or physical or mechanical device, material, or equipment that immobilizes or reduces the ability of a patient to move his or her arms, legs, body or head freely when it is used as a restriction to manage a patient's behavior or restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.	0.1321 (3 Total Hours in Restraint) <sup>3</sup>	N/A	0.0961	N/A	0.2988
Hours of Seclusion Use per 1000 Patient Hours - Overall Rate	This measure reports the total hours patients were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	9.0963 (3188 Total Hours in Seclusion)	N/A	0.4419	N/A	0.7282

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- \* This information can also be viewed at www.hospitalcompare.hhs.gov
- --- Null value or data not displayed.

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA

Org ID: 9931







## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Compared to other Joint **Accredited Organizations** Nationwide Statewide **№** 2

Measure Area Explanation Hospital-Based This category of evidenced based measures assesses the **№** 2 Inpatient Psychiatric overall quality of care given to psychiatric patients. Services

		Compared to other Joint Commission				n
				ed Organiz		
			lationwide		State	
Measure	Explanation	Hospital	Top 10%	U	Top 10%	•
		Results	Scored	Rate:	Scored	Rate:
			at Least:		at Least:	
Hours of Seclusion Use Children Age 1 - 12	This measure reports the number of hours patients age 1 through 12 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.7117 (3 Total Hours in Seclusion) <sup>3</sup>	N/A	0.4020	N/A	0.1958
Hours of Seclusion Use Adolescents Age 13 - 17	This measure reports the number of hours patients age 13 through 17 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	3.1133 (139 Total Hours in Seclusion)	N/A	0.1948	N/A	0.2942
Hours of Seclusion Use Adults Age 18 - 64	This measure reports the number of hours patients age 18 through 64 years were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	11.0093 (3046 Total Hours in Seclusion)	N/A	0.5260	N/A	0.8151
Hours of Seclusion Use Older Adults Age 65 and Older	This measure reports the number of hours patients age 65 and older were kept in seclusion for every 1,000 hours of patient care. Seclusion is the involuntary confinement of a patient alone in a room or an area where the patient is physically prevented from leaving.	0.0000 (0 Total Hours in Seclusion)	N/A	0.0678	N/A	0.2940

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

This organization's performance is

Symbol Key

ossible results

above the target range/value. This organization's performance is

This organization achieved the best

- Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA

Org ID: 9931

Compared to other Joint







## **National Quality Improvement Goals**

### Reporting Period: April 2020 - March 2021

Commission

		Accredited C	rganizations
Measure Area	Explanation	Nationwide	Statewide
Perinatal Care	This category of evidenced based measures assesses the care of mothers and newborns.	<b>№</b> 2	<b>№</b> 2

		Cor	mpared to c			n
		N	Accredite lationwide	ed Organiz		wide
Measure	Explanation	Hospital Results		Average Rate:	Top 10% Scored at Least:	Average Rate:
Cesarean Birth	This measure reports the number of first-time moms with a full-term, single baby in a head-down position who delivered the baby by cesarean section.	<b>⊕</b>	16%	25%	16%	23%
Elective Delivery	This measure reports the overall number of mothers who had elective vaginal deliveries or elective cesarean sections at equal to and greater than 37 weeks gestation to less than 39 weeks gestation. An elective delivery is the delivery of a newborn(s) when the mother was not in active labor or presented with spontaneous ruptured membranes prior to medical induction and/or cesarean section.	27% of 11 eligible Patients	0%	2%	0%	2%
Exclusive Breast Milk Feeding	This measure reports the overall number of newborns who are exclusively breast milk fed during the newborns entire hospitalization.  Exclusive breast milk feeding is when a newborn receives only breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines.	64% of 110 eligible Patients	71%	50%	80%	62%
Unexpected Complications in Term Newborns per 1000 livebirths - Moderate Rate	The moderate rate equals the number of patients with moderate complications.	3125% of 480 eligible Patients	212%	1780%	0%	1421%
Unexpected Complications in Term Newborns per 1000 livebirths - Overall Rate	This measure looks at the number of full-term single babies with a normal birth weight and with no preexisting conditions, these are babies that are expected to do well and routinely go home with the mother.	6666% of 480 eligible Patients	1508%	3084%	1258%	2777%

- The Joint Commission only reports measures endorsed by the National Quality Forum.
- This information can also be viewed at www.hospitalcompare.hhs.gov Null value or data not displayed.

### Symbol Key

- This organization achieved the best ossible results
- This organization's performance is above the target range/value.
- This organization's performance is Ø similar to the target range/value.
- This organization's performance is below the target range/value.
- ot displayed

#### Footnote Key

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.

DBA: LAC+USC Medical Center,

1200 North State Street. IPT C2K100, Los Angeles, CA







## **National Quality Improvement Goals**


### Reporting Period: April 2020 - March 2021

Compared to other Joint
Commission
Accredited Organizations
Nationwide Statewide

Org ID: 9931

		Accredited Organizations	
Measure Area	Explanation	Nationwide	Statewide
Perinatal Care	This category of evidenced based measures assesses the care of mothers and newborns.	<b>№</b> 2	<b>№</b> 2

		Compared to other Joint Commission Accredited Organizations				
		Nationwide			Statewide	
Measure	Explanation	Hospital Results	Top 10% Scored at Least:	Average Rate:	Top 10% Scored at Least:	Average Rate:
Unexpected Complications in Term Newborns per 1000 livebirths - Severe Rate	The severe rate equals the number of patients with severe complications.	3541% of 480 eligible Patients	501%	1303%	505%	1356%



\* This information can also be viewed at www.hospitalcompare.hhs.gov

---- Null value or data not displayed.

### Symbol Key

- This organization achieved the best possible results
- This organization's performance is above the target range/value.
- This organization's performance is similar to the target range/value.
- This organization's performance is below the target range/value.
- Not displayed

#### **Footnote Key**

- The Measure or Measure Set was not reported.
- The Measure Set does not have an overall result.
- The number of patients is not enough for comparison purposes.
- The measure meets the Privacy Disclosure Threshold rule.
- The organization scored above 90% but was below most other organizations.
- The Measure results are not statistically valid.
- The Measure results are based on a sample of patients.
- 8. The number of months with Measure data is below the reporting requirement.
- The measure results are temporarily suppressed pending resubmission of updated data.
- 10. Test Measure: a measure being evaluated for reliability of the individual data elements or awaiting National Quality Forum Endorsement.
- There were no eligible patients that met the denominator criteria.